British Journal of Dermatology 2000; **142:** 1271–1281.

Index

Subject

Ac-YVAD-cmk. Langerhans cells migration inhibition (Abstract) 619
acantholytic dyskeratosis. comedo-like of face and scalp (Correspondence) 1047
N-acetylcysteine in haemodialysis-associated pseudoporphyria (Correspondence) 580
N-acetyltransferase 1 and 2 polymorphisms in arylamine-induced contact allergy 1121
achalasia of the cardia with secondary pustular vasculitis (Correspondence) 373
acitretin
  in pityriasis rubra pilaris (Correspondence) 376, (Correspondence) 574
  in verrucous carcinoma of the vulva (Case report) 1195
acne
  cutaneous microflora in adolescent, persistent and late-onset 885
  human beta defensin expression in lesions (Abstract) 618
  induced by intranasal betamethasone (Correspondence) 579
  with infectious mononucleosis (Correspondence) 837
  inflammatory. IL-1α activity (Abstract) 619
  laser skin resurfacing for improvement of scarring 413
  phototherapy 855, 973
acrogeria. COL3A1 mutation (Correspondence) 178
actinic dermatitis. chronic. with atopic dermatitis (Correspondence) 845
actinic keratosis
  antibodies against virus-like particles of epidermodysplasia verruciformis-associated HPV type 8 103
  prevalence in Merseyside population 1154
  in sun-exposed areas of vitiligo (Correspondence) 824
actinic reticuloid (Case report) 1221
acute myeloid leukaemia. multiple eruptive dermatofibromas in (Correspondence) 1062
adipose plantar nodules. bilateral congenital (Correspondence) 1262
allergic reactions. mediator and cellular responses in early and late phase (Abstract) 619
alopecia
  androgenetic. follicular miniaturization (Abstract) 625
  with photophobia and ichthyosis follicularis (Case report) 157
alternariosis
  in renal transplant recipients (Correspondence) 1261
  terbinafine therapy (Correspondence) 840
aminolaevulinic acid. protoporphyrin fluorescence in lymph node metastases after oral administration (Correspondence) 567
amlodipine. photosensitivity induced by (Correspondence) 1255
amorolfine in onychomycosis 1177
amyloidosis. macular. incontinentia pigmenti-like pattern (Correspondence) 371
anaesthesia mask. face dermatitis from contaminants (Case report) 163
anagen effluvium and pemphigus vulgaris (Correspondence) 1244
angioleiomyoma. subungual (Correspondence) 1239
angiolymphoid hyperplasia with eosinophilia. laser therapy (Correspondence) 192
angiomatoid fibrous histiocytoma with neuroblastoma (Case report) 537
angiomatosis. cutaneous. following osteosynthesis nail implantation (Correspondence) 1056
angiosarcoma. facial. combined chemotherapy and radiotherapy (Correspondence) 822
antidesmoglein-1 antibodies in paraneoplastic pemphigus (Correspondence) 812
antineutrophil cytoplasmic antibodies in minocycline-induced lupuslike syndrome 461
antiphospholipid antibody syndrome 1080, 1199
aphthous ulcers in HIV infection. GM-CSF therapy (Case report) 171
apocrine acrosyringeal keratosis associated with syringocystadenoma papilliferum (Case report) 543
apoptosis. effects of UV radiation on (Abstract) 1267
areolar naevoid hyperkeratosis (Correspondence) 382
arsenic. inhibition of DNA repair in cultured human cells (Abstract) 614
arteriovenous malformation. acquired digital (Case report) 362
asthma. exacerbation by isotretinoin (Correspondence) 388
atopic dermatitis
  British Association of Dermatologists audit of management in secondary care 274, 721
  changes in collagen metabolism with phototherapy 473
  with chronic actinic dermatitis (Correspondence) 845
  comparison of PUVA and UVB phototherapy 39
  effects of NP-tase. p70 and enterotoxin B on IgE. IL-4 and IFN-γ production 680
  geographical variation in UK prevalence 712
  IgG Fc receptor expression in cutaneous inflammation 1106
  IL-4 receptor α-chain polymorphism associated 1003
  and IL-4 receptors (Abstract) 615
  intravenous immunoglobulin therapy (Case report) 551
  and melanocytic naevi 306
  Nottingham Eczema Severity Score 288
  pruritus induced by mast cell mediators 1079, 1114
  severe childhood. cyclosporin therapy 52
  topical corticosteroid phobia 931
ATP release from cultured human keratinocytes (Abstract) 599

© 2000 British Association of Dermatologists

atypical mole syndrome, teaching non-specialist health care professionals how to identify 331
azithromycin in confluent and reticulate papillomatosis (Correspondence) 1252

barrier recovery rate in human skin 881
basal cell carcinoma
association with GSTP1 and cyclin D1 genotypes (Abstract) 611
early appointments 446
multiple, risk associated with TNF microsatellites 441
photodynamic therapy (Short communication) 338
basic fibroblast growth factor in melanoma (Correspondence) 392
bax gene, effect of UV radiation on expression (Abstract) 1267
benzyl benzoate in HIV-associated scabies 969
betamethasone, intranasal, acne and adrenal suppression induced by (Correspondence) 579
blushing, facial, surgical therapy (Correspondence) 194
Borrelia burgdorferi and morphoea (Review) 636
British Society for Investigative Dermatology, Annual Meeting 591
Brooke–Spiegler syndrome (Abstract) 617
bullous pemphigoid with autoantibody against plectin (Correspondence) 813

cadherins, dissociation of intra-and extra-cellular domains in Darier's disease and Hailey–Hailey disease 702
calcinosis cutis, metastatic, in multiple myeloma (Correspondence) 820
calcipotriol, inhibition of UVB-induced erythema 1160
carbaryl tolerance in head lice (Abstract) 622
CD56
expression in primary cutaneous CD30+ anaplastic large cell lymphoma (Case report) 766
and natural killer-like T-cell lymphoma 853
chemokines in initiation and regulation of epidermal Langerhans cell mobilization 401
chickenpox, photodistributed (Correspondence) 584
childhood
Langerhans cell histiocytosis presentating as pustular eruption (Correspondence) 1234
pityriasis lichenoides-like mycosis fungoides (Case report) 347
Sneddon's syndrome (Correspondence) 374
chronic lymphocytic leukaemia and Merkel cell tumour (Case report) 525
cicatricial pemphigoid, localized (Correspondence) 815
cigarette craving associated with isotretinoin (Correspondence) 198
cisplatin in systemic sclerosis, digital necrosis associated (Correspondence) 833
clarithromycin therapy of cutaneous lesions caused by *M. szulgai* (Correspondence) 838
clear cell acanthoma on psoriatic plaque (Correspondence) 842
Clouston syndrome, gene localization 248
cold abscess due to tuberculosis in HIV infection (Correspondence) 387
collagen changes in metabolism following phototherapy in atopic dermatitis 473
COL3A1 mutation in acrogeria (Correspondence) 178
modulation of metabolism by irradiation 874
type I, costimulation of effector T cells by α1 chain (Abstract) 607
collagenosis, reactive perforating, with underlying malignancy (Correspondence) 390
colon carcinoma, zosteriform metastasis (Correspondence) 182
colophony allergy, irritant thresholds (Abstract) 1074
comedogenesis (Review) 1084
complementary therapies (Review) 857
confluent and reticulate papillomatosis, azithromycin therapy (Correspondence) 1252
CONSORT 1
contact allergy
N-acetyltransferase 1 and 2 polymorphisms in 1121
changes in pattern of sensitization in Denmark 490
contact dermatitis
systemic, due to *Rhus* ingestion 937
to plant extracts 84
COPE 1
corticosteroids
cross-reactions (Abstract) 1072
topical
effects on mast cells and their mediators (Abstract) 617
phobia about in patients with atopic dermatitis 931
cosmetic dermatitis 84
Cowden disease, *PTEN* mutation 1100
cryotherapy, pearly penile papules (Correspondence) 847
Cushing's disease and pyoderma gangrenosum (Correspondence) 1051
cutaneous lupus erythematosus, measurement of disease activity 399, 457
cutis laxa, penicillamine-induced, in Wilson's disease (Correspondence) 560
cutis marmorata telangiectatica congenita (Case report) 366
cyclin D1 association with basal cell carcinoma (Abstract) 611
cyclophilin A intracellular localization in human keratinocytes (Abstract) 606
cyclosporin
flushing induced by in renal transplant recipient (Correspondence) 832
generalized pustular psoriasis following withdrawal (Correspondence) 1057
genotoxic effects (Abstract) 613
in severe childhood atopic dermatitis 52
cytokines in initiation and regulation of epidermal Langerhans cell mobilization 401

Darier's disease
dissociation of intra-and extra-cellular domains of cadherins 702
prevalence and molecular epidemiology in west Scotland (Abstract) 603
Dead Sea salt solution bathing with phototherapy in psoriasis 740
dermatofibroma
congenital multiple clustered (Case report) 1040
multiple eruptive, in acute myeloid leukaemia (Correspondence) 1062
desmoplakin, haploinsufficiency and phenotypic diversity (Abstract) 600
detoxifying enzyme genotypes and susceptibility to cutaneous malignancy (Review) 8
dexamethasone-induced healing of leg ulcers (Case report) 166
digital necrosis
associated with angiocentric lymphoma (Case report) 1013
related to cisplatin therapy in systemic sclerosis (Correspondence) 833
digital ulcers, associated with angiocentric lymphoma (Case report) 1013
digitate hyperkeratoses, multiple minute (Case report) 1044
distichiasis–lymphoedema (Case report) 148
docetaxel
intravenous injection, fixed erythrodysaesthesia plaque (Case report) 808
supravenous skin discoloration (Correspondence) 1069
drug reactions, severe unpredictable 205

eccrine syringofibroadenoma in sebaceous naevus (Correspondence) 1050
eczema *see* atopic dermatitis eicosapentaenoic acid, effect on UVB-induced erythema and p53 induction (Abstract) 601
elastosis perforans serpiginosa, penicillamine-induced, in Wilson's disease (Correspondence) 560
enterotoxin B, effects on IgE, IL-4 and IFN-γ production in atopic dermatitis 680
eosinophilia
with angiolymphoid hyperplasia, laser therapy (Correspondence) 192
with subcutaneous T-cell lymphoma (Correspondence) 183
eosinophilic fasciitis
following trichloroethylene exposure (Correspondence) 830
PUVA therapy (Case report) 804
EPIDERM (Abstract) 1072, 1128
epidermolysis bullosa
junctional, laminin 5 mutations (Abstract) 616
non-Herlitz junctional, phenotypic reversion of keratinocytes (Abstract) 604
epidermolysis bullosa acquisita with UV radiation sensitivity (Case report) 517
epidermolysis bullosa simplex
clinical spectrum 468
crusted scabies in (Correspondence) 197
Dowling–Meara variant, laryngeal involvement 315
epiluminescence microscopy sensitivity and specificity 893
erythema
figurate, in prostate cancer (Correspondence) 816
PUVA-induced 733
UVB-induced effect of eicosapentaenoic acid (Abstract) 601
inhibition by calcipotriol 1160
erythema elevatum diutinum associated with B-cell lymphoma (Case report) 116
erythema multiforme
and hepatitis C (Correspondence) 1248
terbinafine-induced (Correspondence) 578
erythema nodosum and radiotherapy (Correspondence) 189
erythroplasia of Queyrat, photodynamic therapy (Correspondence) 825
erythropoietic protoporphyria, therapeutic options (Correspondence) 826
etretinate-induced granulomatous vocal cord nodule (Correspondence) 1258
extracorporeal photopheresis, T-cell lymphoma (Fast-track paper) 16

face
angiosarcoma, combined chemotherapy and radiotherapy (Correspondence) 822
comedo-like acantholytic dyskeratosis (Correspondence) 1047
dermatitis from contaminants on anaesthesia mask (Case report) 163
surgical therapy for blushing (Correspondence) 194
viral folliculitis (Case report) 555
fexofenadine-induced QT prolongation (Correspondence) 1260
Flegel's disease, PUVA (Case report) 340
fluconazole
comparison with terbinafine in onychomycosis 97
in tinea capitis 965
fluorescein isothiocyanate, cutaneous allergic responses induced by (Abstract) 1073
fluoroquinolone, photosensitized skin tumorigenesis (Abstract) 608
follicular mucinosis, minocycline therapy (Correspondence) 841
folliculitis, viral facial (Case report) 555
folliculitis decalvans, effect of scalp shaving (Correspondence) 1245
fragrance allergy 203
frequency in a patch-test population 279
fungal infection, rapid diagnosis (Abstract) 621
glans penis
palisaded encapsulated (solitary circumscribed) neuroma (Correspondence) 1061
strawberry (Correspondence) 1256

Gli 1 subcellular localization regulation (Abstract) 599
gliadin antibodies in psoriasis 44
glutathione S-transferase associated with basal cell carcinoma (Abstract) 611

gluten and psoriasis 5, 44
graft-vs.-host disease, chronic sclerodermoid, mucinosis in (Case report) 529
granulocyte colony-stimulating factor, recombinant human, panniculitis associated (Correspondence) 834
granulocyte-macrophage colony-stimulating factor, therapy in aphthous ulcers in HIV infection (Case report) 171
granuloma annulare, HIV-associated (Correspondence) 1054
granulomatous slack skin, recombinant interferon-γ therapy (Case report) 353
Grover's disease secondary to ribavirin (Correspondence) 1257

HaCaT cell proliferation, role of *p*2Y receptors (Abstract) 599
haemangioma, cutaneous of infancy, interferon therapy (Correspondence) 189
Hailey–Hailey disease
dissociation of intra-and extracellular domains of cadherins 702
vulva, squamous cell carcinoma in (Case report) 540
hair
α-MSH during growth cycle (Abstract) 604
growth and thyroid hormone 633
hair follicles
human beta defensin expression (Abstract) 618
immune system 862
Myc superfamily expression (Abstract) 612, 1092
thyroid hormone receptor β1 expression 645
hairdressers, interdigital dermatitis (Short communication) 1011
hand dermatitis
descriptive epidemiology 284
in twins 298
upper secondary school pupils 485
head lice
carbaryl tolerance (Abstract) 622
permethrin and malathion resistance (Correspondence) 1066 (Correspondence) 1067
hepatitis C virus
and erythema multiforme (Correspondence) 1248
and lichen planus (Correspondence) 836
and pruritis (Correspondence) 1249
as trigger for nodular vasculitis and Sjögren's syndrome (Correspondence) 187
hepatocellular adenomatosis presenting as prurigo (Correspondence) 384
hereditary non-polyposis colorectal cancer
DNA mismatch repair defects affecting cell cycle proteins (Abstract) 613
microsatellite instability in non-sebaceous skin lesions (Abstract) 605
herpes simplex virus, orofacial infection, T cell and cytokine responses (Abstract) 602
herpes zoster infection, seasonal variation (Correspondence) 588
hidradenitis
neutrophilic eccrine, secondary to *Serratia marcescens* infection (Case report) 784
recurrent plantar in children (Correspondence) 1048
hidradenitis suppurativa, clinical genetics 947
hidrotic ectodermal dysplasia gene localization 248
HIV infection
cold abscess due to disseminated tuberculosis (Correspondence) 387
cutaneous squamous cell carcinoma with zosteriform metastases (Correspondence) 573
GM-CSF therapy of aphthous ulceration (Case report) 171
granuloma annulare associated (Correspondence) 1054
Kaposi's sarcoma with severe lymphoedema (Case report) 501
normolipaemic xanthomata associated (Correspondence) 571
scabies in, ivermectin and/or benzyl benzoate therapy 969
HLA class II alleles in minocycline-induced lupuslike syndrome 461
Hodgkin's lymphoma in Sézary syndrome (Case report) 771
human beta defensin
expression human hair follicles and acne lesions (Abstract) 618
normal human skin following wounding (Abstract) 602
human herpesvirus-7 infection with multiple sclerosis and pityriasis rosea (Correspondence) 1250
human papillomaviruses
epidermodysplasia verruciformis-associated, antibodies against in actinic keratosis 103
protein interactions with p53 protein and retinoblastoma protein (Abstract) 614
in squamous cell carcinoma of uterine cervix and fingers 1148
human T-cell lymphotropic virus, prevalence of infection in skin cancer (Correspondence) 1237
hyaluronidase, permeation of stratum corneum 226
hydroxyurea, genotoxic effects (Abstract) 613
hyperforin, topical application 979
Hypericum perforatum, topical application 979
hyperparathyroidism associated with primary cutaneous lymphoma (Case report) 120
hypertrichosis, depigmented, with cerebral and ocular malformations (Case report) 1204
hypomagnesaemic hairless rats, SDZ ASM 981 therapy 669
hypotrichosis of Marie Unna, gene mapping (Abstract) 606

ICAM-1 expression by epithelial keratinocytes in oral lichen planus and lichenoid reaction (Abstract) 620
ichthyosis follicularis with alopecia and photophobia (Case report) 157
imiquimod in lip papillomatosis in immunodeficiency (Correspondence) 196

immunoglobulins
heavy chain gene in cutaneous B-cell lymphoma (Abstract) 610
high-affinity IgE receptor, beta subunit (Correspondence) 370
IgG Fc receptor expression during cutaneous inflammation in atopic dermatitis 1106
intravenous therapy
in atopic dermatitis (Case report) 551
in linear IgA disease (Correspondence) 582
in toxic epidermal necrolysis (Correspondence) 191
indinavir therapy, paronychia and excess digital granulation tissue following (Correspondence) 1063
infectious mononucleosis with acne vulgaris (Correspondence) 837
inflammatory response, nitric oxide-mediated, in UVB-irradiated skin 653
interdigital dermatitis, hairdressers (Short communication) 1011
interferon therapy
complex cutaneous haemangioma of infancy (Correspondence) 189
granulomatous slack skin (Case report) 353
interleukins
IL-1, contribution to Langerhans cell migration induced by irritants and allergens (Abstract) 1073
IL-1α, activity in inflammatory acne (Abstract) 619
IL-2 therapy, in spindle cell haemangioendeothelioma (Correspondence) 1238
IL-4 receptors
α-chain polymorphism associated with atopic dermatitis 1003
in atopic dermatitis (Abstract) 615
IL-8, effect of whole-body UV irradiation on serum level (Abstract) 620
IL-10, effect of whole-body UV irradiation on serum level (Abstract) 620
IL-12, effect of whole-body UV irradiation on serum level (Abstract) 620
IL-18
agonist and antagonist expression in normal human (Abstract) 620
in psoriasis (Abstract) 618
receptor in psoriasis (Abstract) 618
irradiation, effect on cutaneous collagen metabolism and synthesis 874
isotretinoin
association with craving for cigarettes (Correspondence) 198
exacerbation of asthma (Correspondence) 388
itch behaviour characterization in guinea pig and mouse (Abstract) 609
itraconazole, *Malassezia* susceptibility 758
ivermectin in HIV-associated scabies 969

Kaposi's sarcoma
and multiple myeloma (Correspondence) 818
penile, preceded by chronic penile lymphoedema (Case report) 153
with severe lymphoedema in HIV infection (Case report) 501
Kawasaki disease, guttate psoriasis following (Case report) 548
keratin expression in normal nail unit 89
keratinocytes
cell cycle progression (Abstract) 599
cultured
ATP release (Abstract) 599
comparative study of dressings using an acute wound model (Abstract) 612
intracellular localization of cyclophilin A (Abstract) 606
metabolic status in occupational skin disease (Abstract) 1073
keratins, induction in abnormal epidermis associated with NFIL-6 translocation (Abstract) 615
keratoacanthoma
arising in lichen planus (Correspondence) 380
generalized eruptive (Grzybowski variant) (Case report) 800
kerion formation due to *Trichophyton rubrum* (Correspondence) 1065
ketoconazole, *Malassezia* susceptibility 758

laminin 5 mutations in junctional epidermolysis bullosa (Abstract) 616
Langerhans cell histiocytosis in childhood presenting as pustular eruption (Correspondence) 1234
Langerhans cells
contribution of IL-1 to irritant-and allergen-induced migration (Abstract) 1073
initiation and regulation of epidermal mobilization 401
migration inhibition by Ac-YVAD-cmk (Abstract) 619
regulation of migration in ageing mice (Abstract) 607
laser Doppler imaging in skin irritancy (Abstract) 1074
laser skin resurfacing for improvement of acne scarring 413
laser therapy
angiolymphoid hyperplasia with eosinophilia (Correspondence) 192
naevus of Ota 77
phacomatosis pigmentovascularis (Case report) 358
leg ulcers
dexamethasone-induced healing (Case report) 166
percentage change in area as prognostic index of healing 960
Lennert's lymphoma presenting as atypical granuloma annulare (Case report) 776
lichen planus
autocytotoxic T-cell clones 449
and hepatitis C (Correspondence) 836
keratoacanthoma arising in (Correspondence) 380
lesions on palms and soles 310
nail changes (Correspondence) 848
oral, ICAM-1 and RANTES expression by epithelial keratinocytes (Abstract) 620
in primary biliary cirrhosis (Correspondence) 377

lichen planus pemphigoides, PUVA-induced (Case report) 509
lichen sclerosus, peristomal (Correspondence) 177
lichen sclerosus premenarche 481
lichen simplex lateralization (Correspondence) 844
lichen striatus in childhood (Case report) 1208
lichenoid reaction, oral, ICAM-1 and RANTES expression by epithelial keratinocytes (Abstract) 620
linear IgA disease
high-dose intravenous immunoglobulin (Correspondence) 582
with IgA antibodies directed against epidermal antigens (Case report) 1213
with psoriasis (Case report) 513
lip papillomatosis in immunodeficiency, imiquimod therapy (Correspondence) 196
lipodystrophy associated with protease inhibitors (Case report) 496
lmna gene mutation in partial lipodystrophy (Abstract) 604
lung cancer associated with pseudoscleroderma (Case report) 1228
lupus band (Abstract) 626
LY-293111 therapy in psoriasis 259
lymphoedema in HIV-related Kaposi's sarcoma (Case report) 501
lymphoepithelioid cell lymphoma presenting as atypical granuloma annulare (Case report) 776
lymphoma
angiocentric, digital ulcers and necroses associated (Case report) 1013
Bcell association with erythema elevatum diutinum (Case report) 116
zosteriform relapse (Correspondence) 180
CD56 + nasal type/natural killer cell
with lobular panniculitis 924
rapid progression to bone marrow involvement (Case report) 1021
cutaneous T-cell, potential vaccines (Abstract) 608
Hodgkin's, in Sézary syndrome (Case report) 771
Lennert's, presenting as atypical granuloma annulare (Case report) 776
lymphoepithelioid cell, presenting as atypical granuloma annulare (Case report) 776
natural killer-like T-cell, and CD56,853
primary cutaneous, association with hyperparathyroidism (Case report) 120
primary cutaneous B-cell 913
absence of t(14: 18) translocation (Abstract) 611
immunoglobulin heavy chain gene (Abstract) 610
primary cutaneous CD30+ anaplastic large cell, CD56 expression (Case report) 766
steroid responsive blastoid natural killer cell, cutaneous presentation (Case report) 1017
T-cell
extracorporeal photopheresis (Fast-track paper) 16
subcutaneous, with eosinophilia (Correspondence) 183
Malassezia, susceptibility to ketoconazole, voriconazole, itraconazole and terbinafine 758
malathion
effects of acute exposure in skin (Abstract) 618
resistance in head lice (Correspondence) 1066
(Correspondence) 1067
matrix metalloproteinase-1 in inflammatory infiltrate in sun-exposed skin of female subjects 267
melanin production in pale scars (Abstract) 612
melanocortin 1 receptor
genetic variation in redheaded individuals (Abstract) 616
major population effect (Abstract) 605
regulation by POMC peptides (Abstract) 605
variants in transgenic recessive yellow mice (Abstract) 605
melanocortin 5 receptor expression, candidate gene and population studies (Abstract) 616
α-melanocyte stimulating hormone
in human hair growth cycle (Abstract) 604
inhibition of melanoma cell invasion (Abstract) 611
modulation of iNOS induction in melanocytic cells (Abstract) 614
protective role in proinflammatory and oxidative stress (Abstract) 611
melanocytes
in cutaneous squamous cell carcinoma (Correspondence) 184
in pale scars (Abstract) 612
melanocytic naevi and atopic dermatitis 306
melanocytosis, generalized acquired dermal, UV-induced (Correspondence) 184
melanoma
association with variants in DNA repair genes (Abstract) 610
cerebriform nodular amelanotic metastases (Case report) 533
characterization of *in vitro* model 210
differential diagnosis (Correspondence) 1060
follow-up protocols and practice (Correspondence) 585
patient education 66
vascular endothelial growth factor and basic fibroblast growth factor (Correspondence) 392
and vitamin D receptor polymorphism (Abstract) 609
Melkersson–Rosenthal syndrome and *M. tuberculosis* (Correspondence) 1251
Merkel cell tumour
in chronic lymphocytic leukaemia (Case report) 525
regression (Case report) 1184
8-methoxypsoralen
assessment of minimal phototoxic dose following bath (Short communication) 112
time-course of UVA erythema in skin sensitized by (Abstract) 1267
microsatellite instability in transplant recipients (Abstract) 610
minocycline
in follicular mucinosis (Correspondence) 841

lupuslike syndrome induced by, antineutrophil cytoplasmic antibodies and HLA class II alleles 461
Mohs' micrographic surgery in squamous cell carcinoma 631, 752
N^G-monomethyl-L-arginine in psoriasis 985
morphoea and *Borrelia burgdorferi* (Review) 636
mothers, sebum excretion (Short communication) 110
mucinosis in chronic sclerodermoid graft- vs. -host disease (Case report) 529
multiple myeloma
and Kaposi's sarcoma (Correspondence) 818
metastatic calcinosis cutis in (Correspondence) 820
multiple sclerosis with HHV-7 infection and pityriasis rosea (Correspondence) 1250
Myc superfamily, expression in human hair follicle (Abstract) 612, 1092
Mycobacterium avium, familial cutaneous infection from heated bath water system (Case report) 789
Mycobacterium szulgai, clarithromycin therapy of cutaneous lesions (Correspondence) 838
Mycobacterium tuberculosis and Melkersson–Rosenthal syndrome (Correspondence) 1251
mycophenolate mofetil in paraneoplastic pemphigus (Case report) 506
mycosis fungoides
aggressive granulomatous with clinical pulmonary and thyroid involvement (Case report) 1026
microsatellite instability in advanced stages (Abstract) 608
with normolipaemic plane xanthomatosis (Correspondence) 1235
photosensitive (Case report) 1221
pityriasis lichenoides-like in childhood (Case report) 347
presentation as capillaritis (Correspondence) 564
similarity to pyoderma gangrenosum (Case report) 124
myeloperoxidase-antineutrophil cytoplasmic
antibody-associated vasculitis following propylthiouracil therapy (Correspondence) 828

nabumetone-associated pseudoporphyria (Correspondence) 1067
naevoid hyperkeratosis of nipple and areola (Correspondence) 382
naevus of Ota, laser therapy 77
naevus sebaceus, apocrine gland calcification (Correspondence) 1241
nail
keratin expression in normal nail unit 89
in lichen planus (Correspondence) 848
nailfold video capillaroscopy in psoriasis 1171
natural killer cell lymphocytosis and strongyloidiasis (Correspondence) 1066
natural killer cells in psoriasis (Abstract) 617
neeurofibromatosis, cost evaluation of medical management 1166
neonatal lupus erythematosus, immune responses to SS-A and SS-B proteins in mothers of infants with 908
neonatal sebum excretion (Short communication) 110
neuroblastoma with angiomatoid fibrous histiocytoma (Case report) 537
neuroma, palisaded encapsulated (solitary circumscribed) of the glans penis (Correspondence) 1061
new organic pigment, evaluation of photoprotective effects and efficiency (Abstract) 624 (Abstract) 625
NFIL-6, nuclear translocation associated with keratin 16 induction in abnormal epidermis (Abstract) 615
nickel
allergy to osteosynthesis nail implantation (Correspondence) 1056
occupational contact dermatitis caused by (Abstract) 1072
nifedipine-associated pemphigoid nodularis (Correspondence) 575
nipple, naevoid hyperkeratosis (Correspondence) 382
nitric oxide, involvement in cutaneous inflammation and erythema (Abstract) 624
nitric oxide synthase
expression of inducible isoform in pigment cell lesions 432
modulation of induction in melanocytic cells by α-MSH (Abstract) 614
nodular vasculitis triggered by hepatitis C virus (Correspondence) 187
non-epidermolytic palmoplantar keratoderma, genetic mapping (Abstract) 616
nose, linear eruptions in childhood (Case report) 1208
Nottingham Eczema Severity Score 288
NP-tase, effects on IgE, IL-4 and IFN-γ production in atopic dermatitis 680

occupational skin disease
metabolic status of human epidermal keratinocytes (Abstract) 1073
surveillance (Abstract) 1072, 1128
odorants, effects of inhalation on skin barrier homeostasis in mice and humans 1007
onychomycosis
amorolfine and terbinafine treatment 1177
comparison of terbinafine and fluconazole 97
OPRA 1128
osteoarthropathy, hypertrophic, associated with pyoderma gangrenosum (Correspondence) 562
osteosynthesis nail implantation, cutaneous angiomatosis following (Correspondence) 1056

*p*2Y receptors in proliferation of HaCaT cells (Abstract) 599
*p*21 expression, effect of UV radiation (Abstract) 1267
$p21^{WAF}$ expression, distribution in skin appendages 694
$p21^{WAF1}$ induction (Abstract) 599
*p*53
activation by UV radiation (Abstract) 601
effect of eicosapentaenoic acid on induction (Abstract) 601
effect of UV radiation on expression (Abstract) 1267

*p*70, effects on IgE, IL-4 and IFN-γ production in atopic dermatitis 680
pachyonychia congenita, K6a and K16 mutations and prenatal diagnosis (Abstract) 603
Paget's disease, extramammary 59
  diagnosis (Correspondence) 569
  histochemistry and immunohistochemistry (Case report) 1190
  use of cytokeratins 7 and 20 in diagnosis 243
palladium, allergy (Abstract) 1072
palmoplantar pustulosis, distribution of choline acetyltransferase-and acetylcholinesterase-like immunoreactivity in palmar skin 234
panniculitis
  associated with recombinant human G-CSF (Correspondence) 834
  lipoatrophic, and chromosome 10 abnormality (Case report) 1034
  lobular, with CD56+ nasal type/natural killer cell lymphoma 924
papillary dermal elastolysis, elastotic changes in subpapillary and mid-dermal layers (Correspondence) 586
paronychia following indinavir therapy (Correspondence) 1063
partial lipodystrophy, *lmna* gene mutation (Abstract) 604
patient education in malignant melanoma 66
pearly penile papules, cryotherapy (Correspondence) 847
pemphigoid nodularis
  antibodies against intracellular domain of desmoglein 1 (Case report) 143
  associated with nifedipine (Correspondence) 575
pemphigus
  diagnosis 1135
  paraneoplastic
  with antidesmoglein-1 antibodies (Correspondence) 812
  mycophenolate mofetil therapy (Case report) 506
  pathophysiology 209
pemphigus foliaceus in prostate cancer (Correspondence) 816
pemphigus vulgaris
  and anagen effluvium (Correspondence) 1244
  development of chimeric molecules for recognition and targeting of antigen-specific B cells 321
penis
  Kaposi's sarcoma preceded by chronic lymphoedema (Case report) 153
  pearly papules, cryotherapy (Correspondence) 847
peristomal dermatitis (Abstract) 1074
permethrin resistance in head lice (Correspondence) 1066 (Correspondence) 1067
phacomatosis pigmentovascularis, laser therapy (Case report) 358
phenylpropanolamine hydrochloride, fixed drug eruption (Correspondence) 845
phospholipase A_2, pancreatic type I, identification and determination in human epidermis 424
photoaged skin, effect of retinoic acid on fibrillin-rich microfibrils (Abstract) 600
photodynamic therapy
  assessment of parameters (Abstract) 1266
  basal cell carcinoma (Short communication) 338
  erythroplasia of Queyrat (Correspondence) 825
  non-melanoma skin cancer (Abstract) 1266
photoimmunosuppression in the skin (Abstract) 624
photopatch testing, photosensitivity (Correspondence) 589
photophobia with ichthyosis follicularis and alopecia (Case report) 157
photosensitivity
  amlodipine-induced (Correspondence) 1255
  photopatch testing (Correspondence) 589
photosensitizing drugs, effect on narrow-band UVB minimal erythema dose (Correspondence) 389
phototherapy
  acne 855, 973
  with Dead Sea salt solution bathing in psoriasis 740
  dose measurement 748
  effects on collagen metabolism in atopic dermatitis 473
  monitoring long-term effects (Correspondence) 1059
  psoriasis
  and Dead Sea salt solution bathing 740
  selenium supplements (Abstract) 622
  UVA, in pityriasis rubra pilaris (Correspondence) 574
  UVB
  comparison with PUVA in atopic dermatitis 39
  in pityriasis rubra pilaris (Correspondence) 376
phyophotodermatitis mimicking superficial lymphangitis (Correspondence) 1069
pilomatrixoma, nuclear β-catenin in (Abstract) 609
pityriasis rosea with multiple sclerosis and HHV-7 infection (Correspondence) 1250
pityriasis rubra pilaris, acitretin and UV therapy (Correspondence) 376 (Correspondence) 574
PKC isozyme activation (Abstract) 599
plant extracts, allergic contact dermatitis to 84
plasminogen activator inhibitor-1, regulation of hypoxic induction (Abstract) 621
plectin, autoantibodies against, in bullous pemphigoid (Correspondence) 813
Pmel17, molecular mapping of epitopes (Abstract) 621
poison ivy dermatitis, infected 943
polyarteritis nodosa with ulcerative colitis (Correspondence) 561
POMC peptide regulation of melanocortin 1 receptor (Abstract) 605
pregnancy, pyoderma gangrenosum with pathergic phenomenon (Correspondence) 827
primary biliary cirrhosis, lichen planus with xanthomatous change (Correspondence) 377
progressive mucinous histiocytosis (Case report) 133
prostaglandins, role in modulation of skin blood flow (Abstract) 606
prostate cancer with pemphigus foliaceus and figurate erythema (Correspondence) 816
protease inhibitors associated with lipodystrophy (Case report) 496

pruritus and hepatitis C virus (Correspondence) 1249
pseudochromhidrosis, red facial (Case report) 1219
pseudoporphyria
haemodialysis-associated, *N*-acetylcysteine therapy (Correspondence) 580
nabumetone-associated (Correspondence) 1067
pseudoscleroderma associated with lung cancer (Case report) 1228
psoriasis
antibodies to gliadin and effects of gluten-free diet 44
clear cell acanthoma development on plaque (Correspondence) 842
effects of narrow-band UVB on non-lesional skin (Abstract) 623
generalized pustular, following withdrawal of cyclosporin therapy (Correspondence) 1057
and gluten 5
guttate, following Kawasaki disease (Case report) 548
identification of genes in MHC susceptibility region (Abstract) 603
IL-18 and IL-18R expression (Abstract) 618
illness perceptions and coping as predictors of functional status 899
with linear IgA bullous dermatosis (Case report) 513
nailfold video capillaroscopy 1171
natural killer cells (Abstract) 617
phototherapy
and Dead Sea salt solution bathing 740
selenium supplements (Abstract) 622
pustular (Correspondence) 582
Salford Psoriasis Index 728
susceptibility genes (Abstract) 602
topical N^G-monomethyl-L-arginine therapy 985
vitamin D analogue therapy, vitamin D receptor gene expression (Abstract) 613
VML 295 (LY-293111) therapy 259
PTEN mutation in Cowden disease 1100
pustulosis, acute generalized exanthematous, following ticlopidine use (Correspondence) 577
PUVA
comparison with UVB phototherapy in atopic dermatitis 39
eosinophilic fasciitis (Case report) 804
erythema induced by 733
Flegel's disease (Case report) 340
lichen planus pemphigoides induced by (Case report) 509
monitoring long-term effects (Correspondence) 1059
scleredema adultorum (Correspondence) 1058
topical, guidelines 22
pyoderma gangrenosum
and Cushing's disease (Correspondence) 1051
hypertrophic osteoarthropathy associated (Correspondence) 562
mycosis fungoides simulating (Case report) 124
with pathergic phenomenon in pregnancy (Correspondence) 827
rheumatoid neutrophilic dermatitis associated (Correspondence) 1246
radiotherapy and erythema nodosum (Correspondence) 189
RANTES expression by epithelial keratinocytes in oral lichen planus and lichenoid reaction (Abstract) 620
reactive perforating collagenosis with underlying malignancy (Correspondence) 390
renal transplant recipient, cyclosporin-induced flushing (Correspondence) 832
retinoic acid, effect on fibrillin-rich microfibrils in photoaged skin (Abstract) 600
rheumatoid neutrophilic dermatitis associated with pyoderma gangrenosum (Correspondence) 1246
Rhus ingestion, systemic contact dermatitis 937
ribavirin, Grover's disease secondary to (Correspondence) 1257
Rowell's syndrome (Case report) 343

St John's wort, topical application 979
Salford Psoriasis Index 728
sarcoidosis, cutaneous acral (Correspondence) 1052
scabies
crusted, in epidermolysis bullosa simplex (Correspondence) 197
HIV-associated, ivermectin and/or benzyl benzoate therapy 969
scalp
comedo-like acantholytic dyskeratosis (Correspondence) 1047
shaving, effect on folliculitis decalvans (Correspondence) 1245
scars, pale, melanocyte numbers and melanin production (Abstract) 612
Schnitzler's syndrome
immunopathology 954
without monoclonal gammopathy (Correspondence) 581
scleredema, associated with paraproteinaemia treated by extracorporeal photopheresis (Case report) 781
scleredema adultorum, PUVA (Correspondence) 1058
SDZ ASM 981 therapy, effects on atopic dermatitis-like symptoms in hypomagnesaemic hairless rats 669
sebaceous carcinoma in transplant recipients (Abstract) 610
sebaceous naevus, eccrine syringofibroadenoma developing in (Correspondence) 1050
sebum excretion in mothers and neonates (Short communication) 110
selenium
dietary supplements in normal individuals and psoriasis patients undergoing phototherapy (Abstract) 622
protection against UVB-induced apoptosis of epidermal cells (Abstract) 1266
protection against UVB-induced DNA damage in keratinocytes and fibroblasts (Abstract) 623
septicaemia, *Vibrio vulnificans* (Correspondence) 386
Serratia marcescens infection, neutrophilic eccrine hidradenitis secondary to (Case report) 784
Sézary syndrome
Hodgkin's lymphoma in (Case report) 771
microsatellite instability in advanced stages (Abstract) 608

shabby (*shby*) mutation (Abstract) 615
Sjögren's syndrome triggered by HCV (Correspondence) 187
skin cancer
non-melanoma
and the new NHS 397
photodynamic therapy (Abstract) 1266
prevalence of HTLV infection (Correspondence) 1237
UV-induced, role of tumour necrosis factor-α receptors 1140
smooth muscle hamartoma, linear congenital, with follicular spotted appearance (Case report) 138
Sneddon's syndrome in childhood (Correspondence) 374
solar damage prevalence in Merseyside population 1154
solar urticaria 4
clinical and photobiological characteristics 32
spindle cell haemangioendeothelioma, IL-2 therapy (Correspondence) 1238
Spitz naevus
differential diagnosis (Correspondence) 1060
polypoid (Case report) 128
squamous cell carcinoma cutaneous with zosteriform metastases, in HIV infection (Correspondence) 573
melanocytes in (Correspondence) 184
Mohs' micrographic surgery 631, 752
in sun-exposed areas of vitiligo (Correspondence) 824
uterine cervix, mucosal HPV types 1148
in vulval Hailey–Hailey disease (Case report) 540
staphylococcal scalded skin syndrome
in healthy adults (Correspondence) 1253
staphylococcal toxins (Correspondence) 195
staphylococcal toxins, scalded skin syndrome (Correspondence) 195
Staphylococcus 634
stratum corneum, pemeation by hyaluronidase 226
striae distensae, remodelling of extracellular matrix (Abstract) 626
strongyloidiasis and natural killer cell lymphocytosis (Correspondence) 1066
sulphonamide hypersensitivity syndrome, assessment of antidrug antibody response 253
sun exposure, histological increase in inflammatory infiltrate in skin of female subjects 267
sweat gland tumours, DNA image cytometry 688
syringocystadenoma papilliferum
apocrine acrosyringeal keratosis associated (Case report) 543
presentation (Correspondence) 1242
systemic lupus erythematosus
C1q deficiency (Case report) 521
with topoisomerase I antibody, development of systemic sclerosis (Case report) 1030
systemic sclerosis
development in systemic lupus erythematosus with topoisomerase I antibody (Case report) 1030
digital necrosis related to cisplatin therapy (Correspondence) 833
T cells
autocytotoxic clones in lichen planus 449
effector, costimulation by α1 chain of type I collagen (Abstract) 607
melanocyte specific CD8+, perilesional infiltration in vitiligo (Abstract) 607
terbinafine comparison with fluconazole in onychomycosis 97
in cutaneous alternariosis (Correspondence) 840
erythema multiforme induced by (Correspondence) 578
Malassezia susceptibility 758
in onychomycosis 1177
thyroid hormone
and hair growth 633
receptor β1 expression in human hair follicle 645
ticlopidine, acute generalized exanthematous pustulosis following (Correspondence) 577
tinea barbae due to *Trichophyton rubrum* (Correspondence) 1064
tinea capitis, fluconazole therapy 965
topoisomerase I antibody with systemic lupus erythematosus, development of systemic sclerosis (Case report) 1030
toxic epidermal necrolysis, intravenous immunoglobulin therapy (Correspondence) 191
transglutaminase expression in developing human epidermis 223
transplant recipients
cutaneous alternariosis (Correspondence) 1261
sebaceous carcinoma and microsatellite instability (Abstract) 610
trichloroethylene exposure, eosinophilic fasciitis following (Correspondence) 830
Trichophyton rubrum
kerion formation due to (Correspondence) 1065
tinea barbae due to (Correspondence) 1064
tuberculosis
cutaneous, detection by polymerase chain reaction dot-blotting system 72
in HIV infection, cold abscess (Correspondence) 387
perianal ulcers (Correspondence) 186
tufted angioma, acquired oral (Case report) 794
tumour necrosis factor
association with increased risk of multiple basal cell carcinoma 441
effect of whole-body UV irradiation on serum level (Abstract) 620
role of receptors in UV-induced skin tumours 1140
twins, hand dermatitis 298

ulcerative colitis with polyarteritis nodosa (Correspondence) 561
ulcers, perianal, in tuberculosis (Correspondence) 186
ultraviolet passport (Correspondence) 1059
UV radiation
effect on expression of p53, p21 and bax and the induction of aopotosis (Abstract) 1267

mitochondrial DNA deletions as a marker of exposure (Abstract) 601
p53 transactivation and pyrimidine dimer formation (Abstract) 601
sensitivity, with epidermolysis bullosa acquisita (Case report) 517
UVA, time-course of erythema in skin sensitized by topical 8-methoxypsoralen (Abstract) 1267
UVB
differential repair of damage induced by in keratinocytes and fibroblasts (Abstract) 623
effects on C3 production 660
effects of narrow-band on non-lesional skin in psoriasis (Abstract) 623
erythemal response to broad-band and narrow-band (Abstract) 622
skin irradiation, nitric oxide-mediated inflammatory response 653
whole-body, effect on immunomodulatory cytokines in serum (Abstract) 620

vascular endothelial growth factor in melanoma (Correspondence) 392
vasculitis
myeloperoxidase-antineutrophil cytoplasmic antibody-associated, following propylthiouracil therapy (Correspondence) 828
pustular, secondary to achalasia of the cardia (Correspondence) 373
venous ulcers, peptidergic innervation adjacent to (Abstract) 625
verrucous carcinoma of the vulva, acitretin therapy (Case report) 1195
Vibrio vulnificans septicaemia (Correspondence) 386
vitamin D analogue therapy in psoriasis, vitamin D receptor gene expression (Abstract) 613
vitamin D receptor polymorphism and melanoma (Abstract) 609
vitiligo
multiple actinic keratoses and squamous cell carcinoma in sun-exposed areas (Correspondence) 824
perilesional infiltration by melanocyte specific CD8+ T cells (Abstract) 607
VML 295 therapy in psoriasis 259
vocal cord granulomatous nodule (Correspondence) 1258
voriconazole, *Malassezia* susceptibility 758
vulva
Hailey–Hailey disease, squamous cell carcinoma in (Case report) 540
verrucous carcinoma, acitretin therapy (Case report) 1195

wet wound dressing, peptide-enhanced (Abstract) 626
Wilson's disease, penicillamine-induced elastosis perforans serpiginosa and cutis laxa (Correspondence) 560
wounds
acute model, comparative study of dressings for cultured keratinocytes (Abstract) 612
expression of human beta defensins in normal human skin (Abstract) 602
suction-induced model, re-epithelialization rate and protein expression 991

xanthomatosis
cerebrotendinous (Correspondence) 378
congenital papular (Correspondence) 569
normolipaemic in HIV infection (Correspondence) 571
normolipaemic plane with mycosis fungoides (Correspondence) 1235
xeroderma pigmentosum, susceptibility of keratinocytes to UVB-induced apoptosis (Abstract) 623

Authors

ABDULLA, A.J.J., MUNN, S.E., HARDWICK, N., HARRIS, S., HOWARD, M. & REVELL, P. Multiple myeloma and Kaposi's sarcoma: what is the association?, 818
ABECK, D. *see* MEMPEL, M.
ABECK, D. *see* WEIGL, L.
ABERER, W. *see* KOMERICKI, P.
ABOOBAKER, J. *see* GUPTA, A.K.
ADAM, P. *see* GUPTA, A.K.
ADISESH, A. *see* CHERRY, N.
AGNER, T. *see* BRYLD, L.E.
AHKAMI, R.N. *see* SCHWARTZ, R.A.
AHMED, B. & VAN DEN OORD, J.J. Expression of the inducible isoform of nitric oxide synthase in pigment cell lesions of the skin, 432
AHMED, I. & CHARLES-HOLMES, R. Phytophotodermatitis mimicking superficial lymphangitis, 1069
AHMED, I. *see* HARPER, J.I.
AHMED, I., HOLLEY, K.J. & CHARLES-HOLMES, R. Zosteriform metastasis of colonic carcinoma, 182
AHN, S.J., JANG, K.A., CHOI, J.H., SUNG, K.J., MOON, K.C. & KOH, J.K. Nasal and nasal type CD56+ natural killer cell/T-cell lymphoma: a case with rapid progression to bone marrow involvement, 1021
AH-WENG, A. & CHARLES-HOLMES, R. Peristomal lichen sclerosus affecting colostomy sites, 177
AKAGI, A. *see* TAJIMA, S.
AKIMOTO, S., SUSUKI, Y. & ISHIKAWA, O. Multiple actinic keratoses and squamous cell carcinomas on the sun-exposed areas of widespread vitiligo, 824
AKIYAMA, M. *see* HAKUNO, M.
AKIYAMA, M. *see* NOGUCHI, M.
AKIYAMA, M., SMITH, L.T. & SHIMIZU, H. Expression of transglutaminase activity in developing human epidermis, 223
ALBERICI, F., PAGANI, L., RATTI, G. & VIALE, P. Ivermectin alone or in combination with benzyl benzoate in the treatment of human immunodeficiency virus-associated scabies, 969
ALIAGA, A. *see* NAVARRO, M.
ALTMAN, D.G. *see* NEWTON BISHOP, J.A.
ALTOMARE, G.F., CAPELLA, G.L., BONESCHI, V. & VIVIANI, M.A. Effectiveness of terbinafine in cutaneous altenariosis, 840
AMAGAI, M. *see* FUJISAWA, H.
AMAGAI, M. *see* HAKUNO, M.
AMAGAI, M. *see* PROBY, C.M.
AMAGAI, M. *see* TAKAGI, Y.
AMATO, L., MORETTI, S., PALLESCHI, G.M., GALLERANI, I., FRANCHI, A. & FABBRI, P. A case of angiosarcoma of the face successfully treated with combined chemotherapy and radiotherapy, 822
AMEEN, M. & RUSSELL-JONES, R. Macroscopic and microscopic mucinosis in chronic sclerodermoid graft-vs.-host disease, 529
AMEEN, M., BLACK, M.M., McGIBBON, D.H. & RUSSELL-JONES, R. CD8-positive mycosis fungoides presenting as capillaritis, 564
AMEEN, M., HARMAN, K.E. & BLACK, M.M. Pemphigoid nodularis associated with nifedipine, 575
AN, H.T., HAN, K.H. & CHO, K.H. Macular amyloidosis with an incontinentia pigmenti-like pattern, 371
ANDRÉ, J. *see* SASS, U.
ANDREW, S.M. *see* TUCKER, S.C.
ANSTEY, A.V. *see* HALPERN, S.M.
ANSTEY, A.V. *see* VARMA, S.
ANTONY, F. & LAYTON, A.M. A case of cutaneous acral sarcoidosis with response to allopurinol, 1052
ANTONY, F. & LAYTON, A.M. Nabumetone-associated pseudoprophyria, 1067
ANTUNES, I., AZEVEDO, F., MESQUITTA-GUIMARÃES, J., RESENDE, C., FERNANDES, N. & MACEDO, G. Grover's disease secondary to ribavirin, 1257
APAYDIN, R., BILEN, N., BAYRAMGÜRLER, D., EFENDI, H. & VAHABOGLU, H. Detection of *Mycobacterium tuberculosis* DNA in a patient with MelkerssonRosenthal syndrome using polymerase chain reaction, 1251
ARAGANE, Y. *see* KAWADA, A.
ARAGONE, M.G. *see* PARODI, A.
ARASE, S. *see* KUBO, Y.
ARATA, J. *see* FUJIMOTO, W.
ARMSTRONG, D.K.B. *see* SMITH, H.R.
ARMSTRONG, G.R. *see* BHUSHAN, M.
ARONSSON, F. *see* HAGFORSEN, E.
ARORA, S.K., KUMAR, B. & SEHGAL, S. Development of a polymerase chain reaction dot-blotting system for detecting cutaneous tuberculosis, 72
ARRIBAS, J.R. *see* HERRANZ, P.
ASCIERTO, P.A., PALMIERI, G., CELENTANO, E., PARASOLE, R., CARACÒ, C., DAPONTE, A., CHIOFALO, M.G., MELUCCI, M.T., MOZZILLO, N., SATRIANO, R.A. & CASTELLO, G. AND THE MELANOMA COOPERATIVE GROUP. Sensitivity and specificity of epiluminescence microscopy: evaluation on a sample of 2731 excised cutaneous pigmented lesions, 893
ASSALIT, M.F. *see* MAZEREEUW-HAUTIER, J.
ASSMAN, A., FARTHMANN, B., BURKHARDT, O., DIPPEL, E., ORFANOS, C.E. & BLUME-PEYTAVI, U. Cerebriform nodular amelanotic metastases of malignant melanoma: a challenge in differential diagnosis of a rare variant, 533
ATHERTON, D.J. *see* SHEMANKO, C.S.
AU, W.Y., CHAN, A.C.L. & KWONG, Y.L. Zosteriform relapse of B-cell lymphoma, 180
AUDRING, H. *see* CHRISTOPH, T.
AUGUSTSSON, A. *see* BROBERG, A.
AZEVEDO, F. *see* ANTUNES, I.
AZOULAY-PETIT, C. *see* COMBEMALE, P.
BAADSGAARD, O. *see* GRØNBÆK, K.
BABA, T. *see* MURAKAMI, F.

© 2000 British Association of Dermatologists

BABA, Y. *see* SETOYAMA, M.
BADELL, A., MARCOVAL, J., GALLEGO, I., MORENO, A. & PEYRÍ, J. Keratoacanthoma arizing in hypertrophic lichen planus, 380
BADILLET, G. *see* BARAN, R.
BALGUERIE, X. *see* MARIE, I.
BANWELL, P. *see* HORMBREY, E.
BARAJON, I. *see* RUMIO, C.
BARAN, R., FEUILHADE, M., DATRY, A., GOETTMANN, S., PIETRINI, P., VIGUIE, C., BADILLET, G., LARNIER, C. & CZERNIELEWSKI, J. A randomized trial of amorolfine 5% solution nail lacquer associated with oral terbinafine alone in the treatment of dermatophytic toenail onychomycoses affecting the matrix region, 1177
BARAN, R., REQUENA, L. & DRAPÉ, J.L. Subungual angioleiomyoma masquerading as a glomus tumour, 1239
BARCLAY, G. *see* HARPER, J.I.
BARLATI, S. *see* DE PANFILIS, G.
BAVANDI, A. *see* NECKERMANN, G.
BAYRAMGÜRLER, D. *see* APAYDIN, R.
BEARD, A.L. *see* HARPER, J.I.
BECK, M.H. Fragrance allergy, 203
BECK, M.H. *see* CHERRY, N.
BECKHEINRICH, P. *see* JAHREIS, A.
BEDARD, K., SMITH, S. & CRIBB, A. Sequential assessment of an antidrug antibody response in a patient with a systemic delayed-onset sulphonamide hypersensitivity syndrome reaction, 253
BEHNISCH, W. *see* GOTTLÖBER, P.
BEHRENS-WILLIAMS, S., GRUSS, C., GRUNDMANN-KOLLMANN, M., PETER, R.U. & KERSCHER, M. Assessment of minimal phototoxic dose following 8-methoxypsoralen bath: maximal reaction on average after 5 days, 112
BEHRENS-WILLIAMS, S.C. *see* SCHIENER, R.
BELL, D.A. *see* HAJEER, A.H.
BELL, H.K. & RHODES, L.E. Photopatch testing in photosensitive patients, 589
BERGMAN, W. *see* NEWTON BISHOP, J.A.
BERGMAN, W. *see* SCHARLOO, M.
BERNARD, B.A. *see* BILLONI, N.
BERTH-JONES, J. *see* HARPER, J.I.
BESSIS, D. *see* DEREURE, O.
BEZOLD, G. *see* GOTTLÖBER, P.
BHOGAL, B.S. *see* HARMAN, K.E.
BHUSHAN, M. *see* KIMBER, I.
BHUSHAN, M. *see* KIRBY, B.
BHUSHAN, M., CRAVEN, N.M., ARMSTRONG, G.R. & CHALMERS, R.J.G. Lymphoepithelioid cell lymphoma (Lennert's lymphoma) presenting as atypical granuloma annulare, 776
BHUSHAN, M., MOORE, T., HERRICK, A.L. & GRIFFITHS, C.E.M. Nailfold video capillaroscopy in psoriasis, 1171
BIGBY, M. *see* SUGERMAN, P.B.
BIGNOTTO, M. *see* RUMIO, C.
BIHIRI, I.C. *see* KIEKENS, R.C.M.
BILEN, N. *see* APAYDIN, R.
BILLINGSLEY, E.M. *see* WILLIAMS, J.V.
BILLONI, N., BUAN, B., GAUTIER, B., GAILLARD, O., MAHÉ, Y.F. & BERNARD, B.A. Thyroid hormone receptor β1 is expressed in the human hair follicle, 645
BIRD, G. *see* STONE, N.M
BIRON, C. *see* DEREURE, O.
BLACK, M.M. *see* AMEEN, M.
BLACK, M.M. *see* CREAMER, D.
BLACK, M.M. *see* HARMAN, K.E.
BLANCHET-BARDON, C. *see* LAMARTINE, J
BLEIDL, D. *see* RAMPINI, E.
BLEWITT, R.W. *see* OWEN, C.
BLUME-PEYTAVI, U. *see* ASSMAN, A.
BÖCKING, A. *see* VOGELBRUCH, M.
BOECK, K. *see* MEMPEL, M.
BOK, H-S. *see* YEO, U-C.
BONAFE, J.L. *see* MAZEREEUW-HAUTIER, J.
BONDAVALLI, P. *see* PARODI, A.
BONESCHI, V. *see* ALTOMARE, G.F.
BONG, J.L., CONNELL, J.M.C. & LEVER, R. Intranasal betamethasone induced acne and adrenal suppression, 579
BONG, J.L., FLEMING, C.J. & KEMMETT, D. Reactive perforating collagenosis associated with underlying malignancy, 390
BONNEKOH, B. *see* JAPPE, U.
BORGES, M. *see* GUPTA, A.K.
BORGIA, F. *see* CANNAVÒ, S.P.
BOS, J.D. *see* DE RIE, M.A.
BOSELLI, A. *see* RUMIO, C.
BOTHWELL, J. *see* MEMON, A.A.
BOUWES BAVINCK, J.N., STARK, S., PETRIDIS, A.K., MARUGG, M.E., TER SCHEGGET, J., WESTENDORP, R.G.J., FUCHS, P.G., VERMEER, B.J. & PFISTER, H. The presence of antibodies against virus-like particles of epidermodysplasia verruciformis-associated human papillomavirus type 8 in patients with actinic keratoses, 103
BOWER, C.P.R., STANDEN, G.R., PAWADE, J., KNECHTLI, C.J. & KENNEDY, C.T.C. Cutaneous presentation of steroid responsive blastoid natural killer cell lymphoma, 1017
BOWERS, W.P. *see* HAJEER, A.H.
BRADBURN, M. *see* NEWTON BISHOP, J.A.
BRANDS, S. *see* DE RIE, M.A.
BREITBART, E.W. *see* NEWTON BISHOP, J.A.
BRICE, G.W. *see* ROSBOTHAM, J.L.
BRIVIO, M.F. *see* RUMIO, C.
BROBERG, A. & AUGUSTSSON, A. Atopic dermatitis and melanocytic naevi, 306
BROCKOW, K. *see* MEMPEL, M.
BRØNDSTED, L. *see* BRYLD, L.E.
BROOK, I., FRAZIER, E.H. & YEAGER, J.K. Microbiology of infected poison ivy dermatitis, 943
BROOKE, R. *see* CHERRY, N.
BROWNE, A. *see* HO, K.K-L
BRUIJNZEEL-KOOMEN, C.A.F.M. *see* KIEKENS, R.C.M.
BRUNNER, H.G. *see* GERRITSEN, M.J.P.

BRUSATI, C. *see* DRAGO, F.
BRYLD, L.E., AGNER, T., KYVIK, K.O., BRØNDSTED, L., HINDSBERGER, C. & MENNÉ, T. Hand eczema in twins: a questionnaire investigation, 298
BUAN, B. *see* BILLONI, N.
BUCKLEY, D.A., WAKELIN, S.H., SEED, P.T., HOLLOWAY, D., RYCROFT, R.J.G., WHITE, I.R. & McFADDEN, J.P. The frequency of fragrance allergy in a patch-test population over a 17-year period, 279
BUDNY, P. *see* HORMBREY, E.
BUNKER, C.B. *see* FEARFIELD, L.A.
BUNKER, C.B. *see* PORTER, W.M.
BURGESON, R.E. *see* LEIVO, T.
BURKHARDT, O. *see* ASSMAN, A.
BURLS, A. *see* JORDAN, R.
BURNAND, K.G. *see* ROSBOTHAM, J.L.
CACCIAPUOTI, M. *see* PARODI, A.
CAILLEUX, N. *see* MARIE, I.
CALONJE, E. *see* SCARISBRICK, J.J.
CAMACHO MARTINEZ, F. *see* CHAVES ALVAREZ, A.J.
CAMELI, N. *see* TOSTI, A.
CAMERON, H. & DAWE, R.S. Photosensitizing drugs may lower the narrow-band ultraviolet B (TL-01) minimal erythema dose, 389
CANNAVÒ, S.P., BORGIA, F., GUARNERI, F. & VACCARO, M. Acute generalized exanthematous pustulosis following use of ticlopidine, 577
CAPELLA, G.L. *see* ALTOMARE, G.F.
CAPRONI, M. *see* CARDINALI, C.
CARACÒ, C. *see* ASCIERTO, P.A.
CARAMES, Y. *see* DE UNAMUNO, P.
CARDINALI, C., GERLINI, G., CAPRONI, M., PIMPINELLI, N. & FABBRI, P. Hepatitis C virus: a common triggering factor for both nodular vasculitis and Sjögren's syndrome?, 187
CARMICHAEL, A.J. *see* MURPHY, M.
CARNEY, D. *see* HO, K.K-L
CARRASCO, L., IZQUIERDO, M.J., FARIÑA, M.C., MARTÍN, L., MORENO, C. & REQUENA, L. Strawberry glans penis: a rare manifestation of angiokeratomas involving the glans penis, 1256
CASADO, M. *see* HERRANZ, P.
CASTANO, P. *see* RUMIO, C.
CASTELLO, G. *see* ASCIERTO, P.A.
CATTARINI, G. *see* PARODI, A.
CELENTANO, E. *see* ASCIERTO, P.A.
CERUTTI, I. *see* MAZEREEUW-HAUTIER, J.
CHA, S-H. *see* PARK, S.D.
CHALLACOMBE, S.J. *see* HARMAN, K.E.
CHALMERS, R.J.G. & KIRBY, B. Gluten and psoriasis, 5
CHALMERS, R.J.G. *see* BHUSHAN, M.
CHALMERS, R.J.G. *see* KIRBY, B.
CHALMERS, R.J.G. *see* TUCKER, S.C.
CHAN, A.C.L. *see* AU, W.Y.
CHANG, S-E., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. Multiple eruptive dermatofibromas occurring in a patient with acute myeloid leukaemia, 1062
CHANG, S-E., MOON, K-C., HUH, J., CHOI, J-H., SUNG, K-J. & KOH, J-K. Clinicopathological features of CD56+ nasal-type T/natural killer cell lymphomas with lobular panniculitis, 924
CHANG, S-E., PARK, I-J., HUH, J., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. CD56 expression in a case of primary cutaneous CD30+ anaplastic large cell lymphoma, 766
CHAP, H. *see* MAZEREEUW-HAUTIER, J.
CHAPPUIS, J.M. *see* CONSIGLI, J.E.
CHARLES-HOLMES, R. *see* AHMED, I.
CHARLES-HOLMES, R. *see* AH-WENG, A.
CHARMAN, C.R. *see* EMERSON, R.M.
CHARMAN, C.R., MORRIS, A.D. & WILLIAMS, H.C. Topical corticosteroid phobia in patients with atopic eczema, 931
CHARVERON, M. *see* MAZEREEUW-HAUTIER, J.
CHAVES ALVAREZ, A.J., HERRERA SAVAL, A., MARQUEZ ENRIQUEZ, J. & CAMACHO MARTINEZ, F. Metastatic calcinosis cutis in multiple myeloma, 820
CHERRY, N., MEYER, J.D., ADISESH, A., BROOKE, R., OWEN-SMITH, V., SWALES, C. & BECK, M.H. Surveillance of occupational skin disease: EPIDERM and OPRA, 1128
CHIBA, H., KAZAMA, T., TAKENOUCHI, T., NOMOTO, S., YAMADA, S., TAGO, O. & ITO, M. Two cases of vulval pigmented extramammary Paget's disease: histochemical and immunohistochemical studies, 1190
CHILD, A.H. *see* ROSBOTHAM, J.L.
CHILD, F. *see* SCARISBRICK, J.J.
CHIOFALO, M.G. *see* ASCIERTO, P.A.
CHIU, H-C. *see* CHU, C-Y.
CHO, K.H. *see* AN, H.T.
CHOI, J.H. *see* AHN, S.J.
CHOI, J-H. *see* CHANG, S-E.
CHOI, J-H. *see* HAN, M-H.
CHOI, J-H. *see* JANG, K-A.
CHOI, J-H. *see* KIM, S-H.
CHOI, J-H. *see* LEE, M-W.
CHOI, S.W., WOO, H.J., RHO, K-Y., KANG, S.J., YI, S. & KIM, H.O. Calcification in the apocrine glands of naevus sebaceus, 1241
CHRISTOPH, T., MÜLLER-RÖVER, S., AUDRING, H., TOBIN, D.J., HERMES, B., COTSARELIS, G., RÜCKERT, R. & PAUS, R. The human hair follicle immune system: cellular composition and immune privilege, 862
CHRISTOPHERSEN, J.J. *see* DUUS JOHANSEN, J.
CHU, A. *see* PAPAGEORGIOU, P.
CHU, A.C. *see* PAPADAVID, E.
CHU, C-Y., YANG, C-H., YANG, C-Y., HSIAO, G-H. & CHIU, H-C. Fixed erythrodysaesthesia plaque due to intravenous injection of docetaxel, 808
CHU, C-Y., YANG, C-Y., HUANG, S-F., LU, S-C. & WANG, L-F. Lichen planus with xanthomatous change in a patient with primary biliary cirrhosis, 377
CHUN, J-H. *see* PARK, S.D.
CHUN, S.D. *see* LEE, S-C.
CHUNG, T-A. *see* JANG, H-S.
CLARK, S.M. *see* CUNLIFFE, W.J.

CLAUDY, A. *see* DUMAS, V.
CLAUVEAU, J. *see* ZEITOUNI, N.C.
CLOUTIER, R.A. *see* ZEITOUNI, N.C.
COCHARD, G. *see* SASSOLAS, B.
COCKAYNE, S.E., RASSL, D.M. & THOMAS, S.E. Squamous cell carcinoma arizing in Hailey–Hailey disease of the vulva, 540
COHEN, J.B. *see* SCHWARTZ, R.A.
COLES, G.C. *see* DOWNS, A.M.R.
COLOMBI, M. *see* DE PANFILIS, G.
COMBEMALE, P., FAISANT, M., AZOULAY-PETIT, C., DUPIN, M. & KANITAKIS, J. Neutrophilic eccrine hidradenitis secondary to infection with *Serratia marcescens*, 784
CONCEIÇÃO, F. *see* MAGINA, S.
CONNELL, J.M.C. *see* BONG, J.L.
CONSIGLI, J.E., GONZÁLEZ, M.E., MORSINO, R., GUIDI, A., CHAPPUIS, J.M., PAPA, M. & MALDONADO, S. Generalized eruptive keratoacanthoma (Grzybowski variant), 800
COOPER, S.M. & GEORGE, S. Flegel's disease treated with psoralen ultraviolet A, 340
COPELAND, P. *see* ORMEROD, A.D.
CORK, M.J. *see* HARPER, J.I.
COTSARELIS, G. *see* CHRISTOPH, T.
COURTOIS, H. *see* MARIE, I.
COWLEY, N. *see* GRABCZYNSKA, S.A.
COX, N.H & WILLIAMS, H.C. Can you COPE with CONSORT?, 1
COX, N.H. *see* GORDON, P.M.
CRAVEN, N.M. *see* BHUSHAN, M.
CREAMER, D., HUNT, B.J. & BLACK, M.M. Widespread cutaneous necrosis occurring in association with the antiphospholipid syndrome: a report of two cases, 1199
CRIBB, A. *see* BEDARD, K.
CRIBIER, B. *see* LIPSKER, D.
CRIBIER, B.J., SANTINELLI, F., SCHMITT, C., STOLL-KELLER, F. & GROSSHANS, E. Should patients with pruritus be tested for hepatitis C virus infection? A case-controlled study, 1249
CSÓKA, A.B. *see* LAUGIER, J-P.
CUMBERBATCH, M. *see* KIMBER, I.
CUMMINS, C. *see* JORDAN, R.
CUNLIFFE, W.J. & GOULDEN, V. Phototherapy and acne vulgaris, 855
CUNLIFFE, W.J. *see* HENDERSON, C.A.
CUNLIFFE, W.J. *see* TILL, A.E.
CUNLIFFE, W.J., HOLLAND, D.B., CLARK, S.M. & STABLES, G.I. Comedogenesis: some new aetiological, clinical and therapeutic strategies, 1084
CZERNIELEWSKI, J. *see* BARAN, R.
DAHL, M.G.C. *see* TURNER, R.J.
DAPONTE, A. *see* ASCIERTO, P.A.
DARLEY, C.R. *see* O'MOORE, E.J.
DATRY, A. *see* BARAN, R.
DAUDÉN, E., PASCUAL-LÓPEZ, M., MARTÍNEZ-GARCÍA, C. & GARCÍA-DÍEZ, A. Paronychia and excess granulation tissue of the toes and finger in a patient treated with indinavir, 1063
DAVIES, J.M. *see* SPEIGHT, E.L.
DAWBER, R.P.R. *see* DE BERKER, D.
DAWE, R.S. *see* CAMERON, H.
DAWE, R.S. *see* HALPERN, S.M.
DAWES, M. Evidence for double resistance to permethrin and malathion in head lice, 1066
DAWSON, R.A. *see* EVES, P.
DE BERKER, D., WOJNAROWSKA, F., SVILAND, L., WESTGATE, G.E., DAWBER, R.P.R. & LEIGH, I.M. Keratin expression in the normal nail unit: markers of regional differentiation, 89
DE DOBBELEER, G. *see* VADOUD-SEYEDI, J.
DE PAEPE, A. *see* JANSEN, T.
DE PANFILIS, G., GHIDINI, A., GRAIFEMBERGHI, S., BARLATI, S., ZOPPI, N. & COLOMBI, M. Dexamethasone-induced healing of chronic leg ulcers in a patient with defective organization of the extracellular matrix of fibronectin, 166
DE RIE, M.A., DI NUZZO, S., BRANDS, S., HANSEN, A.B. & BOS, J.D. Calcipotriol ointment and cream or their vehicles applied immediately before irradiation inhibit ultraviolet B-induced erythema, 1160
DE SILVA, B. & DOHERTY, V.R. Coexistence of pyoderma gangrenosum and Cushing's disease: a paradoxical association?, 1051
DE SILVA, B.D., McLAREN, K. & KAVANAGH, G.M. Photosensitive mycosis fungoides or actinic reticuloid?, 1221
DE UNAMUNO, P., CARAMES, Y., FERNANDEZ-LOPEZ, E., HERNANDEZ-MARTIN, A. & PEÑA, C. Congenital multiple clustered dermatofibroma, 1040
DE WAARD-VAN DER SPEK, F.B. *see* HONIG, E.
DEARMAN, R.J. *see* KIMBER, I.
DEL GIUDICE, P. Strongyloidiasis and natural killer cell lymphocytosis, 1066
DELMONTE, S., SEMINO, M.T., PARODI, A. & REBORA, A. Normal anagen effluvium: a sign of pemphigus vulgaris, 1244
DENDA, M. & TSUCHIYA, T. Barrier recovery rate varies time-dependently in human skin, 881
DENDA, M., TSUCHIYA, T., SHOJI, K. & TANIDA, M. Odorant inhalation affects skin barrier homeostasis in mice and humans, 1007
DEREURE, O., BESSIS, D., LAVABRE-BERTRAND, T., EXBRAYAT, C., FEGUEUX, N., BIRON, C. & GUILHOU, J-J. Thrombotic and necrotizing panniculitis associated with recombinant human granulocyte colony-stimulating factor treatment, 834
DER-PETROSSIAN, M., SEEBER, A., HÖNIGSMANN, H. & TANEW, A. Half-side comparison study on the efficacy of 8-methoxypsoralen bath-psoralen ultraviolet A vs. narrow-band ultraviolet B phototherapy in patients with severe chronic atopic dermatitis, 39
DHAR, S., HAZRA, P.K., MALAKAR, S. & MISTRI, G. Fexofenadine induced QT prolongation: a myth or fact?, 1260
DI NUZZO, S. *see* DE RIE, M.A.

DIAZ-CANO, S.J. Melanocytes in squamous cell carcinoma of the skin, 184
DIFFEY, B.L. *see* HALPERN, S.M.
DIPPEL, E. *see* ASSMAN, A.
DLOVA, N. *see* GUPTA, A.K.
DOCHERTY, G. *see* SHUM, K.W.
DOHERTY, V.R. *see* DE SILVA, B.
DONETTI, E. *see* RUMIO, C.
DOWNS, A.M.R., STAFFORD, K.A., HARVEY, I. & COLES, G.C. Evidence for double resistance to permethrin and malathion in head lice: reply from authors, 1067
DRAGO, F., RANIERI, E., BRUSATI, C., LUGANI, C. & REBORA, A. Pityriasis rosea, HHV-7 and multiple sclerosis. A coincidence?, 1250
DRAPÉ, J.L. *see* BARAN, R.
DRENO, B. *see* LOZE, I.
DRILLIEN, R. *see* LIPSKER, D.
DRUMMOND, A., GUPTA, G., SWAN, I.R.C. & THOMSON, J. An inflammatory desquamative dermatosis of the ear with anti180 kDa antibodies: localized cicatricial pemphigoid?, 815
DRUMMOND, P.D. A caution about surgical treatment for facial blushing, 194
DUBERTRET, L. *see* LAMARTINE, J
DUMAS, V., THIEULENT, N., SOUILLET, A.L., JULLIEN, D., FAURE, M. & CLAUDY, A. Recurrent erythema multiforme and chronic hepatitis C: efficacy of interferon alpha, 1248
DUNPHY, J., OLIVER, M., RANDS, A.L., LOVELL, C.R. & McHUGH, N.J. Antineutrophil cytoplasmic antibodies and HLA class II alleles in minocycline-induced lupuslike syndrome, 461
DUPIN, M. *see* COMBEMALE, P.
DUPRE, P-F. *see* SASSOLAS, B.
DURAND-ZALESKI, I. *see* WOLKENSTEIN, P.
DUUS JOHANSEN, J., MENNÉ, T., CHRISTOPHERSEN, J.J., KAABER, K. & VEIEN, N. Changes in the pattern of sensitization to common contact allergens in Denmark between 1985 and 86 and 199798, with a special view to the effect of preventive strategies, 490
EBERLEIN-KÖNIG, B. *see* WEIGL, L.
ECKES, B. *see* QUERFELD, C.
EEDY, D.J. Non-melanoma skin cancer and the 'new National Health Service': implications for U.K.dermatology?, 397
EFENDI, H. *see* APAYDIN, R.
EHNIS, A. *see* HERBST, R.A.
EINARSSON, A. *see* HAGFORSEN, E.
EMERSON, R.M., CHARMAN, C.R. & WILLIAMS, H.C. The Nottingham Eczema Severity Score: preliminary refinement of the Rajka and Langeland grading, 288
ERNST, E. The usage of complementary therapies by dermatological patients: a systematic review, 857
ESPÃNA, A., PUJOL, R.M., IDOATE, M.A., VÁZQUEZ-DOVAL, J. & ROMANÍ, J. Bilateral congenital adipose plantar nodules, 1262
EVES, P., LAYTON, C., HEDLEY, S., DAWSON, R.A., WAGNER, M., MORANDINI, R., GHANEM, G. & MAC NEIL, S. Characterization of an *in vitro* model of human melanoma invasion based on reconstructed human skin, 210
EXBRAYAT, C. *see* DEREURE, O.
FABBRI, P. *see* AMATO, L.
FABBRI, P. *see* CARDINALI, C.
FABRIZI, G. & MASSI, G. Polypoid Spitz naevus: the benign counterpart of polypoid malignant melanoma, 128
FAERGEMANN, J. *see* GUPTA, A.K.
FAISANT, M. *see* COMBEMALE, P.
FARIÑA, M.C. *see* CARRASCO, L.
FARR, P.M. *see* HALPERN, S.M.
FARR, P.M. Solar urticaria, 4
FARTHMANN, B. *see* ASSMAN, A.
FAURE, M. *see* DUMAS, V.
FEARFIELD, L.A. & BUNKER, C.B. Radiotherapy and erythema nodosum, 189
FEARFIELD, L.A., NELSON, M., FRANCIS, N. & BUNKER, C.B. Cutaneous squamous cell carcinoma with zosteriform metastases in a human immunodeficiency virus-infected patient, 573
FEGUEUX, N. *see* DEREURE, O.
FERGUSON, J. *see* HALPERN, S.M.
FERNANDES, N. *see* ANTUNES, I.
FERNANDEZ-LOPEZ, E. *see* DE UNAMUNO, P.
FESQ, H. *see* MEMPEL, M.
FEUILHADE, M. *see* BARAN, R.
FINCH, T.M. & TAN, C.Y. Clear cell acanthoma developing on a psoriatic plaque: further evidence of an inflammatory aetiology?, 842
FINCH, T.M. & TAN, C.Y. Pustular psoriasis exacerbated by pregnancy and controlled by cyclosporin A, 582
FINKELSTEIN, M.W. *see* KLEINEGGER, C.L.
FINLAY, A.Y. *see* HARPER, J.I.
FINLAY, A.Y. *see* PATEL, G.K.
FITZGIBBONS, J. *see* HO, K.K-L
FLEMING, C.J. *see* BONG, J.L.
FORSLUND, O., NORDIN, P. & HANSSON, B.G. Mucosal human papillomavirus types in squamous cell carcinomas of the uterine cervix and susequently on fingers, 1148
FORTUNE, D.G. *see* KIRBY, B.
FRAGA, J. *see* SÁNCHEZ-PÉREZ, J.
FRANCHI, A. *see* AMATO, L.
FRANCIS, N. *see* FEARFIELD, L.A.
FRAZIER, E.H. *see* BROOK, I.
FRIEDMANN, P.S. *see* MEMON, A.A.
FRIESECKE, I. *see* GOTTLÖBER, P.
FRITSCH, P. *see* WEBER, F.
FRYER, A.A. *see* HAJEER, A.H.
FRYER, A.A. *see* LEAR, J.T.
FUCHS, P.G. *see* BOUWES BAVINCK, J.N.
FUJIMOTO, W., OHTSU, T., TOI, Y., NAKANISHI, G. & ARATA, J. Linear IgA disease with IgA antibodies directed against 200- and 280-kDa epidermal antigens, 1213

FUJISAWA, H., ISHII, Y., TATEISHI, T., KAWACHI, Y., OTSUKA, F., AMAGAI, M., KOMAI, A. & HASHIMOTO, T. Pemphigoid nodularis with IgA autoantibodies against the intracellular domain of desmoglein 1, 143
FUJIWARA, S. *see* OHNISHI, Y.
FUKAI, K., OISO, N. & ISHII, M. Interleukin 4 receptor alpha chain polymorphism Gln551Arg is associated with adult atopic dermatitis in Japan, 1003
FULLJAMES, C.A. & WELSH, A.D. Measurement of patient dose in ultraviolet therapy using a phantom, 748
FUNARO, D. *see* ZEITOUNI, N.C.
FUNAYAMA, M. *see* TERUI, T.
FURUKAWA, F. *see* ITO, T.
FUTEI, Y. & KONOHANA, I. A case of erythema elevatum diutinum associated with B-cell lymphoma: a rare distribution involving palms, soles and nails, 116
GAGNÉ, E. *see* ZEITOUNI, N.C.
GAILLARD, O. *see* BILLONI, N.
GALL, Y. *see* MAZEREEUW-HAUTIER, J.
GALLEGO, I. *see* BADELL, A.
GALLERANI, I. *see* AMATO, L.
GALLERANI, M. & MANFREDINI, R. Seasonal variation in herpes zoster infection, 588
GAMBINI, C., HAUPT, R. & RONGIOLETTI, F. Angiomatoid (malignant) fibrous histiocytoma as a second tumour in a child with neuroblastoma, 537
GAMOU, S. *see* PROBY, C.M.
GARBE, C. *see* WEIDE, B.
GARCÍA-DÍEZ, A. *see* DAUDÉN, E.
GARCÍA-DÍEZ, A. *see* SÁNCHEZ-PÉREZ, J.
GARRIDO, M.C. *see* RAMSAY, H.M.
GARRUD, P. *see* SEFTON, E.
GASCÓN, P. *see* SCHWARTZ, R.A.
GAUTIER, B. *see* BILLONI, N.
GEORGALA, S., KOUMANTAKI, E., RALLIS, E. & PAPADAVID, E. Generalized pustular psoriasis developing during withdrawal of short-term cyclosporin therapy, 1057
GEORGE, S. *see* COOPER, S.M.
GERDÉN, B. *see* MICHAËLSSON, G.
GERLINI, G. *see* CARDINALI, C.
GERRITSEN, M.J.P., STEIJLEN, P.M., BRUNNER, H.G. & RIEU, P. Cutis marmorata telangiectatica congenita: report of 18 cases, 366
GHANEM, G. *see* EVES, P.
GHIDINI, A. *see* DE PANFILIS, G.
GILBERT, D. *see* MARTEL, P.
GILLESPIE, P. *see* HORMBREY, E.
GLÄßL, A. *see* SCHIFFNER, R.
GLAZEBROOK, C. *see* SEFTON, E.
GOERDT, S. *see* HUSAK, R.
GOETEYN, V., NAEYERT, J.M., LAMBERT, J., MONBALIU, L. & VERMANDER, F. Is systemic autoimmune disease a risk factor for terbinafine-induced erythema multiforme?, 578
GOETTMANN, S. *see* BARAN, R.
GOLLNICK, H. *see* JAPPE, U.
GÓMEZ-DE LA FUENTE, E., ORTIZ, P.L., VANACLOCHA, F., RODRIGUEZ-PERALTO, J.L. & IGLESIAS, L. Aggressive granulomatous mycosis fungoides with clinical pulmonary and thyroid involvement, 1026
GONÇALVES, E. *see* MAGINA, S.
GONZÁLEZ, J. *see* HERRANZ, P.
GONZÁLEZ, M.E. *see* CONSIGLI, J.E.
GOODFIELD, M. Measuring the activity of disease in cutaneous lupus erythematosus, 399
GOOS, M. *see* HENGGE, U.R.
GORDON, P.M., COX, N.H., PATERSON, W.D. & LAWRENCE, C.M. Basal cell carcinoma: are early appointments justifiable?, 446
GOTTLÖBER, P. *see* SCHIENER, R.
GOTTLÖBER, P., BEZOLD, G., SCHAER, A., STOLZ, W., FRIESECKE, I., PETER, R.U. & KERSCHER, M. Sneddon's syndrome in a child, 374
GOTTLÖBER, P., WEBER, L., BEHNISCH, W., BEZOLD, G., PETER, R.U. & KERSCHER, M. Langerhans cell histiocytosis in a child presenting as a pustular eruption, 1234
GOULDEN, V *see* CUNLIFFE, W.J.
GOULDEN, V. *see* TILL, A.E.
GRABCZYNSKA, S.A. & COWLEY, N. Amlodipine induced-photosensitivity presenting as telangiectasia, 1255
GRAHAM-BROWN, R.A.C. *see* HARPER, J.I.
GRAIFEMBERGHI, S. *see* DE PANFILIS, G.
GRATIAN, M.J. *see* HARMAN, K.E.
GREAVES, M. Mast cell mediators other than histamine induced pruritus in atopic dermatitis patients – a dermal microdialysis study, 1079
GRIFFITHS, C.E.M. *see* BHUSHAN, M.
GRIFFITHS, C.E.M. *see* KIMBER, I.
GRIFFITHS, C.E.M. *see* KIRBY, B.
GRIFFITHS, W.A.D. *see* WALKER, S.L.
GROENINX VAN ZOELEN, E.C. *see* HONIG, E.
GRØNBÆK, K., MØLLER, P.H., NEDERGAARD, T., THOMSEN, K., BAADSGAARD, O., HOU-JENSEN, K., ZEUTHEN, J., GULDBERG, P. & RALFKIÆR, E. Primary cutaneous B-cell lymphoma: a clinical, histological, phenotypic and genotypic study of 21 cases, 913
GROSSHANS, E. *see* CRIBIER, B.J.
GROSSHANS, E. *see* LIPSKER, D.
GRUNDMANN-KOLLMANN, M. *see* BEHRENS-WILLIAMS, S.
GRUNDMANN-KOLLMANN, M. *see* SACHSENBERG-STUDER, E.M.
GRUNDMANN-KOLLMANN, M., OCHSENDORF, F., ZOLLNER, T.M., SPIETH, K., KAUFMANN, R. & PODDA, M. Cream PUVA therapy for scleredema adultorum, 1058
GRUSS, C. *see* BEHRENS-WILLIAMS, S.
GUARNERI, F. *see* CANNAVÒ, S.P.
GUIDI, A. *see* CONSIGLI, J.E.
GUILHOU, J-J. *see* DEREURE, O.
GUILLET, G. *see* SASSOLAS, B.
GUITART, J. *see* WU, M.L-C.
GULDBERG, P. *see* GRØNBÆK, K.

GUPTA, A.K., DLOVA, N., TABORDA, P., MORAR, N., TABORDA, V., LYNDE, C.W., KONNIKOV, N., BORGES, M., RABOOBEE, N., SUMMERBELL, R.C., ADAM, P., HOFSTADER, S.L.R. & ABOOBAKER, J. Once weekly fluconazole is effective in children in the treatment of tinea capitis: a prospective, multicentre study, 965
GUPTA, A.K., KOHLI, Y., LI, A., FAERGEMANN, J. & SUMMERBELL, R.C. *In vitro* susceptibility of the seven *Malassezia* species to ketoconazole, voriconazole, itraconazole and terbinafine, 758
GUPTA, G. *see* DRUMMOND, A.
HAGFORSEN, E. *see* MICHAËLSSON, G.
HAGFORSEN, E., EINARSSON, A., ARONSSON, F., NORDLIND, K. & MICHAËLSSON, G. The distribution of choline acetyltransferase-like immunoreactivity in the palmar skin of patients with palmo-plantar pustulosis, 234
HAJEER, A.H., LEAR, J.T., OLLIER, W.E.R., NAVES, M., WORTHINGTON, J., BELL, D.A., SMITH, A.G., BOWERS, W.P., JONES, P.W., STRANGE, R.C. & FRYER, A.A. Preliminary evidence of an association of turmour necrosis factor microsatellites with increased risk of multiple basal cell carcinomas, 441
HAKUNO, M., SHIMIZU, H., AKIYAMA, M., AMAGAI, M., WAHL, J.K., WHEELOCK, M.J. & NISHIKAWA, T. Dissociation of intra-and extracellular domains of desmosomal cadherins and E-cadherin in Hailey–Hailey disease and Darier's disease, 702
HALLIER, E. *see* WESTPHAL, G.A.
HALPERN, J. *see* SCHWARTZ, R.A.
HALPERN, S.M., ANSTEY, A.V., DAWE, R.S., DIFFEY, B.L., FARR, P.M., FERGUSON, J., HAWK, J.L.M., IBBOTSON, S., McGREGOR, J.M., MURPHY, G.M., THOMAS, S.E. & RHODES, L.E. Guidelines for topical PUVA: a report of a workshop of the British Photodermatology Group, 22
HAMMOND, H.L. *see* KLEINEGGER, C.L.
HAN, K.H. *see* AN, H.T.
HAN, M-H., JANG, K-A., SUNG, K-J., MOON, K-C., KOH, J-K. & CHOI, J-H. A case of guttate psoriasis following Kawasaki disease, 548
HAN, M-H., KOH, G-J., KOH, J-K. & MOON, K-C. Hypertrophic osteoarthropathy associated with pyoderma gangrenosum, 563
HANADA, S. *see* KAWABATA, H.
HANEFELD, F. *see* SCHAUDER, S.
HANSEN, A.B. *see* DE RIE, M.A.
HANSSON, B.G. *see* FORSLUND, O.
HARADA, S. *see* HAYASHI, N.
HARDEN, P.N. *see* RAMSAY, H.M.
HARDWICK, N. *see* ABDULLA, A.J.J.
HARMAN, K.E. *see* AMEEN, M.
HARMAN, K.E., GRATIAN, M.J., BHOGAL, B.S., CHALLACOMBE, S.J. & BLACK, M.M. The use of two substrates to improve the sensitivity of indirect immunofluorescence in the diagnosis of pemphigus, 1135
HARPER, J. *see* MARTINEZ, A.
HARPER, J.I., AHMED, I., BARCLAY, G., LACOUR, M., HOEGER, P., CORK, M.J., FINLAY, A.Y., WILSON, N.J.E., GRAHAM-BROWN, R.A.C., SOWDEN, J.M., BEARD, A.L., SUMNER, M.J. & BERTH-JONES, J. Cyclosporin for severe childhood atopic dermatitis: short course vs. continuous therapy, 52
HARRIS, S. *see* ABDULLA, A.J.J.
HARRISON, P.V. *see* OWEN, C.
HARVEY, I. *see* DOWNS, A.M.R.
HASE, T., SHINTA, K., TOKIMITSU, I., HATTORI, M., TAKIMOTO, R., TSUBOI, R. & OGAWA, H. Histological increase in inflammatory infiltrate in sun-exposed skin of female subjects: the possible involvement of matrix metalloproteinase-1 produced by inflammatory infiltrate on collagen degradation, 267
HASHIMOTO, T. *see* FUJISAWA, H.
HASHIMOTO, Y. *see* NAKAMURA, S.
HATTORI, M. *see* HASE, T.
HAUPT, R. *see* GAMBINI, C.
HAUSTEIN, U-F. *see* JAHREIS, A.
HAVU, V., HEIKKILÄ, H., KUOKKANEN, K., NUUTINEN, M., RANTANEN, T., SAARI, S., STUBB, S., SUHONEN, R. & TURJANMAA, K. A double-blind, randomized study to compare the efficacy and safety of terbinafine (Lamisil®) with fluconazole (Diflucan®) in the treatment of onychomycosis, 97
HAWK, J.L.M. *see* HALPERN, S.M.
HAWK, J.L.M. *see* OSBORNE, G.E.N.
HAYASHI, N., IGARASHI, A., MATSUYAMA, T. & HARADA, S. Eosinophilic fasciitis following exposure to trichloroethylene: successful treatment with cyclosporin, 830
HAZRA, P.K. *see* DHAR, S.
HEDLEY, S. *see* EVES, P.
HEID, E. *see* LIPSKER, D.
HEIKKALÄ, H., KARINIEMI, A-L. & STUBB, S. Fixed drug eruption due to phenylpropanolamine hydrochloride, 845
HEIKKILÄ, H. *see* HAVU, V.
HEIKKILÄ, H. *see* SNELLMAN, E.
HEMERY, F. *see* WOLKENSTEIN, P.
HENDERSON, C.A., TAYLOR, J. & CUNLIFFE, W.J. Sebum excretion in mothers and neonates, 110
HENGGE, U.R., STOCKS, K. & GOOS, M. Acquired immune deficiency syndrome-related hyperkeratotic Kaposi's sarcoma with severe lymphoedema: report of five cases, 501
HENTA, T. *see* ITOH, Y.
HEPBURN, N. *see* SHEMANKO, C.S.
HERBST, R.A., VOGELBRUCH, M., EHNIS, A., KIEHL, P., KAPP, A. & WEISS, J. Combined ultraviolet A1 radiation and acitretin therapy as a treatment option for pityriasis rubra pilaris, 574
HERMES, B. *see* CHRISTOPH, T.
HERNANDEZ-MARTIN, A. *see* DE UNAMUNO, P.
HERRANZ, P., ARRIBAS, J.R., NAVARRO, A., PEÑA, J.M., GONZÁLEZ, J., RUBIO, F.A. & CASADO, M. Successful treatment of aphthous ulcerations in AIDS patients using topical granulocyte-macrophage colony-stimulating factor, 171

HERRERA SAVAL, A. *see* CHAVES ALVAREZ, A.J.
HERRICK, A.L. *see* BHUSHAN, M.
HEYER, G. *see* RUKWIED, R.
HIDA, Y. *see* KUBO, Y.
HIGHET, A.S. *see* LING, T.C.
HIGHET, A.S. *see* STABLES, G.I.
HILL, V.A., SEYMOUR, C.A. & MORTIMER, P.S. Penicillamine-induced elastosis perforans serpiginosa and cutis laxa in Wilson's disease, 560
HINDSBERGER, C. *see* BRYLD, L.E.
HINO, M. *see* KONO, T.
HIRAMATSU, T. *see* KANOH, H.
HIRUMA, M. *see* KAWADA, A.
HJELMQUIST, G. *see* MICHAËLSSON, G.
HO, K.K-L, BROWNE, A., FITZGIBBONS, J., CARNEY, D. & POWELL, F.C. Mycosis fungoides bullosa simulating pyoderma gangrenosum, 124
HOEGER, P. *see* HARPER, J.I.
HOEGER, P. *see* MARTINEZ, A.
HOFSTADER, S.L.R. *see* GUPTA, A.K.
HOFSTÄDTER, F. *see* SCHIFFNER, R.
HOLLAND, D.B. *see* CUNLIFFE, W.J.
HOLLAND, K.T. *see* TILL, A.E.
HOLLEY, K.J. *see* AHMED, I.
HOLLOWAY, D. *see* BUCKLEY, D.A.
HOLT, P.J.A. *see* VARMA, S.
HONIG, E., VAN DER MEIJDEN, W.I., GROENINX VAN ZOELEN, E.C. & DE WAARD-VAN DER SPEK, F.B. Perianal ulceration: a rare manifestation of tuberculosis, 186
HÖNIGSMANN, H. *see* DER-PETROSSIAN, M.
HORIO, T. *see* UETSU, N.
HORMBREY, E., BANWELL, P., GILLESPIE, P. & BUDNY, P. Melanoma follow-up: protocols and practice, 585
HORN, H.M. & TIDMAN, M.J. The clinical spectrum of epidermolysis bullosa simplex, 468
HORN, H.M. *see* SHEMANKO, C.S.
HOSOKAWA, K. *see* SATO-MATSUMURA, K.C.
HOU-JENSEN, K. *see* GRØNBÆK, K.
HOWARD, M. *see* ABDULLA, A.J.J.
HÖYHTYÄ, M. *see* RIEKKI, R.
HSIAO, G-H. *see* CHU, C-Y.
HUANG, S-F. *see* CHU, C-Y.
HUERKAMP, C. *see* QUERFELD, C.
HUGHES, J. *see* JOLLES, S.
HUGHES, J.R. *see* KAPUR, N.
HUH, J. *see* CHANG, S-E.
HUMBEL, R-L. *see* LIPSKER, D.
HUNT, B.J. *see* CREAMER, D.
HUSAK, R., NESTORIS, S., GOERDT, S. & ORFANOS, C.E. Severe course of chronic urticaria, athralgia, fever and elevation of erythrocyte sedimentation rate: Schnitzler's syndrome without monoclonal gammopathy?, 581
IBBOTSON, S. *see* HALPERN, S.M.
IDOATE, M.A. *see* ESPÀNA, A.
IGARASHI, A. *see* HAYASHI, N.
IGLESIAS, L. *see* GÓMEZ-DE LA FUENTE, E.
IIZUKA, H. *see* NAKAMURA, S.
IKEUCHI, T. *see* KUBO, Y.
IMAMURA, S. *see* MATSUMURA, Y.
IMAYAMA, S. *see* UEDA, S.
IMBERTI, A. *see* RUMIO, C.
ISACSSON, Å. *see* YNGVESON, M.
ISHIBASHI, A. *see* ITOH, Y.
ISHIBASHI, A. *see* OHNISHI, Y.
ISHIBASHI, A. *see* TAJIMA, S.
ISHIDA-YAMAMOTO, A. *see* NAKAMURA, S.
ISHII, M. *see* FUKAI, K.
ISHII, M. *see* KONO, T.
ISHII, N. *see* SUGITA, Y.
ISHII, N., ONODA, M. & SUGITA, Y. A case of cold abscess due to disseminated tuberculosis in an AIDS patient, 387
ISHII, Y. *see* FUJISAWA, H.
ISHIKAWA, O. *see* AKIMOTO, S.
ISODA, M. *see* UEDA, S.
ITO, M. *see* CHIBA, H.
ITO, T., TOKURA, Y., YOSHINARI, Y., FURUKAWA, F. & TAKIGAWA, M. Normolipaemic plane xanthomatosis associated with mycosis fungoides, 1235
ITOH, Y., NINOMIYA, Y., HENTA, T., TAJIMA, S. & ISHIBASHI, A. Intraoperative detection of 5-aminolaevulinic acid-induced protoporphyrin fluorescence in lymphonode metastases after oral administration, 567
IVE, F.A. Kerion formation caused by *Trichophyton rubrum*, 1065
IZQUIERDO, M.J. *see* CARRASCO, L.
IZUMI, T. *see* KANOH, H.
JAHREIS, A., BECKHEINRICH, P. & HAUSTEIN, U-F. Effects of two novel cationic staphylococcal proteins (NP-tase and *p*70) and enterotoxin B on IgE synthesis and interleukin 4 and interferon-δ production in patients with atopic dermatitis, 680
JANG, H-S., KIM, M-B., OH, C-K., KWON, K-S. & CHUNG, T-A. Linear congenital smooth muscle hamartoma with follicular spotted appearance, 138
JANG, K.A. *see* AHN, S.J.
JANG, K-A. *see* HAN, M-H.
JANG, K-A., KIM, S-H., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. Viral folliculitis on the face, 555
JANSEN, T., DE PAEPE, A., NUYTINCK, L. & PLEWIG, G. COL3A1 mutation leading to acrogeria (Gottron type), 178
JANSEN, T., ROMITI, R., WOITALLA, S. & PLEWIG, G. Eruptive acne vulgaris with infectious mononucleosis, 837
JAPPE, U., ZILLIKENS, D., BONNEKOH, B. & GOLLNICK, H. Epidermolysis bullosa acquisita with ultraviolet radiation sensitivity, 517
JESKANEN, L. *see* SNELLMAN, E.
JOHANNISON, A. *see* YNGVESON, M.
JOLLES, S., HUGHES, J. & RUSTIN, M. The treatment of atopic dermatitis with adjunctive high-dose intravenous immunoglobulin: a report of three patients and review of the literature, 551
JOLY, P. *see* MARTEL, P.
JONES, J. *see* SHUM, K.W.

JONES, P.W. *see* HAJEER, A.H.
JORDAN, R., CUMMINS, C. & BURLS, A. Laser resurfacing of the skin for the improvement of facial acne scarring: a systematic review of the evidence, 413
JUCGLÀ, A. *see* MACAYA, A.
JUKKOLA, A. *see* RIEKKI, R.
JULLIEN, D. *see* DUMAS, V.
JUMBOU, O. *see* LOZE, I.
JUNG, J.E. *see* LEE, S-C.
JURY, C.S. & MUNRO, C.S. Linear lichen planus related to hepatitis C infection, 836
KAABER, K. *see* DUUS JOHANSEN, J.
KADONO, T., KISHI, A., ONISHI, Y. & OHARA, K. Acquired digital arteriovenous malformation: a report of six cases, 362
KALLIOINEN, M. *see* RIEKKI, R.
KANEKURA, T. *see* KAWABATA, H.
KANG, I.K. *see* LEE, S-C.
KANG, S.J. *see* CHOI, S.W.
KANITAKIS, J. *see* COMBEMALE, P.
KANITAKIS, J. *see* MARTEL, P.
KANOH, H., IZUMI, T., HIRAMATSU, T., OHNISHI, M., MURAI, M. & SEISHIMA, M. Granulomatous nodule on vocal cord possibly induced by etretinate therapy, 1258
KANSAKI, T. *see* YOTSUMOTO, S.
KANTOR, J. & MARGOLIS, D.J. A multicentre study of percentage change in venous leg ulcer area as a prognostic index of healing at 24 weeks, 960
KANWAR, A.J. *see* THAMI, G.P.
KANZAKI, T. *see* KAWABATA, H.
KANZAKI, T. *see* SETOYAMA, M.
KANZAKI, T. *see* YOTSUMOTO, S.
KAPP, A. *see* HERBST, R.A.
KAPP, A. *see* VOGELBRUCH, M.
KAPTEIN, A.A. *see* SCHARLOO, M.
KAPUR, N., HUGHES, J.R. & RUSTIN, M.H.A. Exacerbation of asthma by isotretinoin, 388
KARINIEMI, A-L. *see* HEIKKALÄ, H.
KARLSSON, P. *see* NEWTON BISHOP, J.A.
KATSAMBAS, A. *see* PAPAGEORGIOU, P.
KATSUMI, S., KOBAYASHI, N., YAMAMOTO, Y., MIYAGAWA, S. & SHIRAI, T. Development of systemic sclerosis in a patient with systemic lupus erythematosus and topoisomerase I antibody, 1030
KATSUNO, M. *see* SUGITA, Y.
KAUFMANN, R. *see* GRUNDMANN-KOLLMANN, M.
KAUFMANN, R. *see* SACHSENBERG-STUDER, E.M.
KAVANAGH, G.M. *see* DE SILVA, B.D.
KAWABATA, H., SETOYAMA, M., HANADA, S., UOZUMI, K., KANEKURA, T. & KANZAKI, T. The prevalence of human T-cell lymphotropic virus type I infection in patients with cutaneous malignancies, 1237
KAWACHI, Y. *see* FUJISAWA, H.
KAWADA, A., ARAGANE, Y., MAEDA, A., YUDATE, T., TEZUKA, T. & HIRUMA, M. Tinea barbae due to *Trichophyton rubrum* with possible involvement of autoinoculation, 1064
KAWAKAMI, M. *see* NOGUCHI, M.
KAYASHIMA, K.-I. *see* MARUO, K.
KAZAMA, T. *see* CHIBA, H.
KEMMETT, D. *see* BONG, J.L.
KENNEDY, C.T.C. *see* BOWER, C.P.R.
KEOHANE, S.G. *see* SHEMANKO, C.S.
KERR, A.I.G. *see* SHEMANKO, C.S.
KERSCHER, M. *see* BEHRENS-WILLIAMS, S.
KERSCHER, M. *see* GOTTLÖBER, P.
KERSCHER, M. *see* SCHIENER, R.
KIBAR, Z. *see* LAMARTINE, J.
KIEHL, P. *see* HERBST, R.A.
KIEHL, P. *see* VOGELBRUCH, M.
KIEKENS, R.C.M., THEPEN, T., BIHIRI, I.C., KNOL, E.F., VAN DE WINKEL, J.G.J. & BRUIJNZEEL-KOOMEN, C.A.F.M. Expression of Fc receptors for IgG during acute and chronic cutaneous inflammation in atopic dermatitis, 1106
KIISTALA, U. *see* LEIVO, T.
KIM, H.O. *see* CHOI, S.W.
KIM, M-B. *see* JANG, H-S.
KIM, M-M. *see* YEO, U-C.
KIM, S-H. *see* JANG, K-A.
KIM, S-H., KOH, K-J., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. Congenital papular xanthoma, 569
KIM, S-T. *see* KO, J-W.
KIM, Y.P. *see* LEE, S-C.
KIMBER, I., CUMBERBATCH, M., DEARMAN, R.J., BHUSHAN, M. & GRIFFITHS, C.E.M. Cytokines and chemokines in the initiation and regulation of epidermal Langerhans cell mobilization, 401
KINEBUCHI, A. *see* OTSUKA, S.
KIRBY, B. & WATSON, R. Pityriasis rubra pilaris treated with acitretin and narrow-band ultraviolet B (Re-TL-01), 376
KIRBY, B. *see* CHALMERS, R.J.G.
KIRBY, B., FORTUNE, D.G., BHUSHAN, M., CHALMERS, R.J.G. & GRIFFITHS, C.E.M. The Salford Psoriasis Index: an holistic measure of psoriasis severity, 728
KIRYU, H. *see* KUBOTA, Y.
KISHI, A. *see* KADONO, T.
KISHIMOTO, S. *see* KURAMOTO, N.
KISHIMOTO, S., WAKABAYASHI, S., YAMAMOTO, M., NODA, Y., TAKENAKA, H. & YASUNO, H. Apocrine acrosyringeal keratosis in association with syringocystoadenoma papilliferum, 543
KLEINEGGER, C.L., HAMMOND, H.L., VINCENT, S.D. & FINKELSTEIN, M.W. Acquired tufted angioma: a unique vascular lesion not previously reported in the oral mucosa, 794
KNECHTLI, C.J. *see* BOWER, C.P.R.
KNOL, E.F. *see* KIEKENS, R.C.M.
KO, J-W., SEONG, J-Y., SUH, K-S. & KIM, S-T. Pityriasis lichenoides-like mycosis fungoides in children, 347
KO, M.S.H. *see* YOTSUMOTO, S.
KOBAYASHI, H. *see* SATO-MATSUMURA, K.C.
KOBAYASHI, H. *see* SHIMIZU, T.
KOBAYASHI, N. *see* KATSUMI, S.
KODAMA, K. *see* SHIMIZU, T.

KOGA, T. *see* KUBOTA, Y.
KOH, G-J. *see* HAN, M-H.
KOH, J.K. *see* AHN, S.J.
KOH, J-K. *see* CHANG, S-E.
KOH, J-K. *see* HAN, M-H.
KOH, J-K. *see* JANG, K-A.
KOH, J-K. *see* KIM, S-H.
KOH, J-K. *see* LEE, M-W.
KOH, K-J. *see* KIM, S-H.
KOHLI, Y. *see* GUPTA, A.K.
KOMAI, A. *see* FUJISAWA, H.
KOMERICKI, P., SZOLAR-PLATZER, C., KRÄNKE, B. & ABERER, W. Face dermatitis from contaminants on a mask for anaesthesia, 163
KONNIKOV, N. *see* GUPTA, A.K.
KONO, T. *see* TANIGUCHI, S.
KONO, T., NAGAYASU, T.S., NAKANISHI, T., TSURATA, D., ISHII, M., TANIGUCHI, S., TAKEDA, T. & HINO, M. Granulomatous slack skin: successful treatment with recombinant interferon gamma, 353
KONOHANA, I. *see* FUTEI, Y.
KOOIJMANS-OTERO, M.E. *see* MOMMERS, J.M.
KOUMANTAKI, E. *see* GEORGALA, S.
KOYASU, S. *see* PROBY, C.M.
KRAAZ, W. *see* MICHAËLSSON, G.
KRÄNKE, B. *see* KOMERICKI, P.
KRAUSZ, T. *see* PAPADAVID, E.
KRIEG, T. *see* QUERFELD, C.
KROISS, M.M., VOGT, T., LANDTHALER, M. & STOLZ, W. High-dose intravenous immune globulin is also effective in linear IgA disease, 582
KRUTMANN, J. *see* SACHSENBERG-STUDER, E.M.
KUBO, Y., URANO, Y., HIDA, Y., IKEUCHI, T., NOMOTO, M., KUNITOMO, K. & ARASE, S. A novel *PTEN* mutation in a Japanse patient with Cowden disease, 1100
KUBOTA, Y., KOGA, T., NAKAYAMA, J. & KIRYU, H. Naevoid hyperkeratosis of the nipple and areola in a man, 382
KUMAKIRI, M. *see* SATO-MATSUMURA, K.C.
KUMAR, B. *see* ARORA, S.K.
KUNITOMO, K. *see* KUBO, Y.
KUOKKANEN, K. *see* HAVU, V.
KURAMOTO, N., KISHIMOTO, S., SHIBAGAKI, R. & YASUNO, H. PUVA-induced lichen planus pemphigoides, 509
KURODA, K. *see* NAKAMURA, S.
KWON, K-S. *see* JANG, H-S.
KWONG, Y.L. *see* AU, W.Y.
KYVIK, K.O. *see* BRYLD, L.E.
LABEILLE, B. *see* MARTEL, P.
LACOUR, M. *see* HARPER, J.I.
LADHANI, S. Staphylococcal toxins and the scalded skin syndrome, 195
LAIR, G. *see* SASSOLAS, B.
LAMARTINE, J, LAOUDJ, D., BLANCHET-BARDON, C., KIBAR, Z., SOULARUE, P., RIDOUX, V., DUBERTRET, L., ROULEAU, G.A. & WAKSMAN, G. Refined localization of the gene for Clouston syndrome (hidrotic ectodermal dysplasia) in a large French family, 248
LAMBERT, J. *see* GOETEYN, V.
LAMBERT, W.C. *see* SCHWARTZ, R.A.
LANDTHALER, M. *see* KROISS, M.M.
LANDTHALER, M. *see* SCHIFFNER, R.
LANE, E.B. *see* SHEMANKO, C.S.
LAOUDJ, D. *see* LAMARTINE, J
LARNIER, C. *see* BARAN, R.
LAUGIER, J-P., SHUSTER, S., ROSDY, M., CSÓKA, A.B., STERN, R. & MAIBACH, H.I. Topical hyaluronidase decreases hyaluronic acid and CD44 in human skin and in reconstituted human epidermis: evidence that hyaluronidase can permeate the stratum corneum, 226
LAVABRE-BERTRAND, T. *see* DEREURE, O.
LAVEZZARI, E. *see* RUMIO, C.
LAWRENCE, C.M. *see* GORDON, P.M.
LAWRENCE, C.M. *see* TURNER, R.J.
LAWTON, S. *see* SHUM, K.W.
LAYTON, A.M. *see* ANTONY, F.
LAYTON, C. *see* EVES, P.
LE RU, Y. *see* SASSOLAS, B.
LEAL, V. *see* MAGINA, S.
LEAR, J.T. *see* HAJEER, A.H.
LEAR, J.T., SMITH, A.G., STRANGE, R.C. & FRYER, A.A. Detoxifying enzyme genotypes and susceptibility to cutaneous malignancy, 8
LEE, E-S. *see* YEO, U-C.
LEE, H-W. *see* LEE, S-C.
LEE, J-W. *see* LEE, S-C.
LEE, M-W., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. Linear eruptions of the nose in childhood: a form of lichen striatus?, 1208
LEE, S-C., LEE, J-W., JUNG, J.E., LEE, H-W., CHUN, S.D., KANG, I.K., WON, Y.H. & KIM, Y.P. Protective role of nitric oxide-mediated inflammatory response against lipid peroxidation in ultraviolet B-irradiated skin, 653
LEE, S-W. *see* PARK, S.D.
LEIGH, I.M. *see* DE BERKER, D.
LEIVO, T., KIISTALA, U., VESTERINEN, M., OWARIBE, K., BURGESON, R.E., VIRTANEN, I. & OIKARINEN, A. Re-epithelialization rate and protein expression in the suction-induced wound model: comparison between intact blisters, open wounds and calcipotriol-pretreated open wounds, 991
LEONARD, N. *see* TURNER, R.J.
LEVER, R. *see* BONG, J.L.
LEVESQUE, H. *see* MARIE, I.
LI, A. *see* GUPTA, A.K.
LING, T.C. & HIGHET, A.S. Isotretinoin associated with craving for cigarettes, 198
LINHART, C. *see* RINNE, D.
LIPSKER, D., SPEHNER, D., DRILLIEN, R., SCHMITT, P., CRIBIER, B., HEID, E., HUMBEL, R-L. & GROSSHANS, E. Schnitzler syndrome: heterogeneous immunopathological findings involving IgM–skin interactions, 954
LISBOA, C. *see* MAGINA, S.
LISCHETZKI, G. *see* RUKWIED, R.
LÖÖF, L *see* MICHAËLSSON, G.

LOPES, J. *see* MAGINA, S.
LOVELL, C.R. *see* DUNPHY, J.
LOZE, I., TESSIER, M.H., JUMBOU, O. & DRENO, B. Hepatocellular adenomatosis presenting as prurigo, 384
LU, S-C. *see* CHU, C-Y.
LÜDTKE, R. *see* SCHEMPP, C.M.
LUGANI, C. *see* DRAGO, F.
LUN, K. *see* WALKER, S.L.
LUPPA, P. *see* MEMPEL, M.
LUZI, P. *see* TOSI, P.
LYNDE, C.W. *see* GUPTA, A.K.
MAC NEIL, S. *see* EVES, P.
MACAYA, A., SERVITJE, O., JUCGLÀ, A. & PEYRÍ, J. Rheumatoid neutrophilic dermatitis associated with pyoderma gangrenosum, 1246
MACEDO, G. *see* ANTUNES, I.
MAEDA, A. *see* KAWADA, A.
MAGINA, S., LISBOA, C., GONÇALVES, E., CONCEIÇÃO, F., LEAL, V. & MESQUITA-GUIMARÃES, J. A case of toxic epidermal necrolysis treated with intravenous immunoglobin, 191
MAGINA, S., LISBOA, C., SANTOS, P., OLIVEIRA, G., LOPES, J., ROCHA, M. & MESQUITA-GUIMARÃES, J. Cutaneous alternariosis by *Alternaria chartarum* in a renal transplanted patient, 1261
MAHÉ, Y.F. *see* BILLONI, N.
MAIBACH, H.I. *see* LAUGIER, J-P.
MALAKAR, S. *see* DHAR, S.
MALCOLM, A.J. *see* TURNER, R.J.
MALDONADO, S. *see* CONSIGLI, J.E.
MALONE, M. *see* MARTINEZ, A.
MAMTA, A.J. *see* THAMI, G.P.
MANFREDINI, R. *see* GALLERANI, M.
MANT, D. *see* NEWTON BISHOP, J.A.
MARCOVAL, J. *see* BADELL, A.
MARGOLIS, D.J. *see* KANTOR, J.
MARIE, I., LEVESQUE, H., PLISSONNIER, D., BALGUERIE, X., CAILLEUX, N. & COURTOIS, H. Digital necrosis related to cisplatin in systemic sclerosis, 833
MARKS JR., J.G. *see* WILLIAMS, J.V.
MARQUEZ ENRIQUEZ, J. *see* CHAVES ALVAREZ, A.J.
MARREN, P. *see* POWELL, J.
MARTEL, P., GILBERT, D., LABEILLE, B., KANITAKIS, J. & JOLY, P. A case of paraneoplastic pemphigus with antidesmoglein 1 antibodies as determined by immunoblotting, 812
MARTÍN, L. *see* CARRASCO, L.
MARTINEZ, A., MALONE, M., HOEGER, P., PALMER, R. & HARPER, J. Lipoatrophic panniculitis and chromosome 10 abnormality, 1034
MARTÍNEZ-GARCÍA, C. *see* DAUDÉN, E.
MARUGG, M.E. *see* BOUWES BAVINCK, J.N.
MARUO, K., KAYASHIMA, K.-I. & ONO, T. Regressing Merkel cell carcinoma – a case showing replacement of tumour cells by foamy cells, 1184
MASADA, M. *see* NAKAGAWA, T.
MASSI, G. *see* FABRIZI, G.
MASSONE, C. *see* PARODI, A.
MATERNO, M. *see* TOSI, P.
MATSUMURA, T. *see* OTA, M.
MATSUMURA, T. *see* SATO-MATSUMURA, K.C.
MATSUMURA, Y., MIZUNO, K., OHTA, K., OKAMOTO, H. & IMAMURA, S. A case of cutaneous polyarteritis nodosa associated with ulcerative colitis, 561
MATSUO, I. *see* NOGUCHI, M.
MATSUYAMA, T. *see* HAYASHI, N.
MAZEREEUW-HAUTIER, J., REDOULES, D., TARROUX, R., CHARVERON, M., SALLES, J.P., SIMON, M.F., CERUTTI, I., ASSALIT, M.F., GALL, Y., BONAFE, J.L. & CHAP, H. Identification of pancreatic type I secreted phospholipase A_2 in human epidermis and its determination by tape stripping, 424
McFADDEN, J.P. *see* BUCKLEY, D.A.
McFADDEN, J.P. *see* SMITH, H.R.
McFADDEN, J.P. Stealth tactics of staphylococci, 634
McGIBBON, D.H. *see* AMEEN, M.
McGLONE, F. *see* RUKWIED, R.
McGREGOR, J.M. *see* HALPERN, S.M.
McHUGH, N.J. *see* DUNPHY, J.
McLAREN, K. *see* DE SILVA, B.D.
McNALLY, N.J., WILLIAMS, H.C., PHILLIPS, D.R. & STRACHAN, D.P. Is there a geographical variation in eczema prevalence in the U.K.? Evidence from the 1958 British cohort study, 712
MEHTA, R.K., RYTINA, E. & STERLING, J.C. Treatment of verrucous carcinoma of vulva with acitretin, 1195
MEINGASSNER, J.G. *see* NECKERMANN, G.
MELUCCI, M.T. *see* ASCIERTO, P.A.
MEMON, A.A., TOMENSON, J.A., BOTHWELL, J. & FRIEDMANN, P.S. Prevalence of solar damage and acitinic keratosis in a Merseyside population, 1154
MEMPEL, M., SCHMIDT, T., BOECK, K., BROCKOW, K., STACHOWITZ, S., FESQ, H., SCHÄFER, T., THOMSEN, S., SCHNOPP, C., RING, J., PROBST, R., LUPPA, P. & ABECK, D. Changes in collagen I and collagen III metabolism in patients with generalized atopic eczema undergoing medium-dose ultaviolet A1 phototherapy, 473
MENNÉ, T. *see* BRYLD, L.E.
MENNÉ, T. *see* DUUS JOHANSEN, J.
MESQUITA-GUIMARÃES, J. *see* MAGINA, S.
MESQUITTA-GUIMARÃES, J. *see* ANTUNES, I.
MESSENGER, A.G. Thyroid hormone and hair growth, 633
MEYER, J.D. *see* CHERRY, N.
MICHAËLSSON, G. *see* HAGFORSEN, E.
MICHAËLSSON, G., GERDÉN, B., HAGFORSEN, E., NILSSON, B., PIHL-LUNDIN, I., KRAAZ, W., HJELMQUIST, G. & LÖÖF, L. Psoriasis patients with antibodies to gliadin can be improved by a gluten-free diet, 44
MIRACCO, C. *see* TOSI, P.
MISTRI, G. *see* DHAR, S.
MIYAGAWA, S. *see* KATSUMI, S.
MIYAUCHI-HASHIMOTO, H. *see* UETSU, N.
MIYAZONO, N. *see* SETOYAMA, M.
MIZOGUCHI, M. *see* MURAKAMI, F.

MIZUNO, K. *see* MATSUMURA, Y.
MØLLER, P.H. *see* GRØNBÆK, K.
MOMMERS, J.M., VAN ROSSUM, M.M., KOOIJMANS-OTERO, M.E., PARKER, G.L. & VAN DE KERKHOF, P.C.M. VML 295 (LY-293111), a novel LTB4 antagonist, is not effective in the prevention of relapse in psoriasis, 259
MONBALIU, L. *see* GOETEYN, V.
MOON, K.C. *see* AHN, S.J.
MOON, K-C. *see* CHANG, S-E.
MOON, K-C. *see* HAN, M-H.
MOON, K-C. *see* JANG, K-A.
MOON, K-C. *see* KIM, S-H.
MOON, K-C. *see* LEE, M-W.
MOORE, T. *see* BHUSHAN, M.
MORANDINI, R. *see* EVES, P.
MORAR, N. *see* GUPTA, A.K.
MORENO, A. *see* BADELL, A.
MORENO, C. *see* CARRASCO, L.
MORENO, J.C. *see* WOLKENSTEIN, P.
MORETTI, S. *see* AMATO, L.
MORIUE, T. *see* NAKAGAWA, T.
MORRIS, A.D. *see* CHARMAN, C.R.
MORSINO, R. *see* CONSIGLI, J.E.
MORTIMER, P.S. *see* HILL, V.A.
MORTIMER, P.S. *see* ROSBOTHAM, J.L.
MOZZILLO, N. *see* ASCIERTO, P.A.
MÜLLER-RÖVER, S. *see* CHRISTOPH, T.
MUNN, S.E. *see* ABDULLA, A.J.J.
MUNRO, C.S. *see* JURY, C.S.
MURAI, M. *see* KANOH, H.
MURAKAMI, F., BABA, T. & MIZOGUCHI, M. Ultraviolet-induced generalized acquired dermal melanocytosis with numerous melanophages, 184
MURPHY, G.M. Reply, 827
MURPHY, G.M. *see* HALPERN, S.M.
MURPHY, M. & CARMICHAEL, A.J. The lateralization of lichen simplex is independent of hand dominance, 844
MYERS, B. *see* SPEIGHT, E.L.
NAEYERT, J.M. *see* GOETEYN, V.
NAGASHIMA, T. *see* NOGUCHI, M.
NAGAYASU, T.S. *see* KONO, T.
NAKAGAWA, T., MASADA, M., MORIUE, T. & TAKAIWA, T. Comedo-like acantholytic dyskeratosis of the face and scalp: a new entity?, 1047
NAKAJIMA, H. *see* SUGITA, Y.
NAKAMURA, H. *see* SATO-MATSUMURA, K.C.
NAKAMURA, S., TAMURA, T., TAKAHASHI, H., ISHIDA-YAMAMOTO, A., HASHIMOTO, Y., KURODA, K. & IIZUKA, H. Cerebrotendinous xanthomatosis: report of a case, 378
NAKANISHI, G. *see* FUJIMOTO, W.
NAKANISHI, T. *see* KONO, T.
NAKAYAMA, J. *see* KUBOTA, Y.
NANDAWNI, R. *see* O'MOORE, E.J.
NAVARRO, A. *see* HERRANZ, P.
NAVARRO, M., VILATA, J., REQUENA, C. & ALIAGA, A. Palisaded encapsulated neuroma (solitary circumscribed neuroma) of the glans penis, 1061
NAVES, M. *see* HAJEER, A.H.
NAYAGAM, A.T. *see* O'MOORE, E.J.
NECKERMANN, G., BAVANDI, A. & MEINGASSNER, J.G. Atopic dermatitis-like symptoms in hypomagnesaemic hairless rats are prevented and inhibited by systemic or topical SDZ ASM 981, 669
NEDERGAARD, T. *see* GRØNBÆK, K.
NELSON, M. *see* FEARFIELD, L.A.
NESTORIS, S. *see* HUSAK, R.
NEUMANN, C. *see* WESTPHAL, G.A.
NEUMANN, H.A.M. *see* THISSEN, M.R.T.M
NEWTON BISHOP, J.A., BRADBURN, M., BERGMAN, W., OSTERLIND, A., PINNEY, E., ROSDAHL, I., SCERRI, L., WEICHENTHAL, M., MANT, D., BREITBART, E.W., KARLSSON, P. & ALTMAN, D.G. Teaching non-specialist health care professionals how to identify the atypical mole syndrome phenotype: a multinational study, 331
NIIMURA, M. *see* TAKAGI, Y.
NIIZUMA, K. *see* NOGUCHI, M.
NILSSON, B. *see* MICHAËLSSON, G.
NINOMIYA, Y. *see* ITOH, Y.
NISHIKAWA, T. *see* HAKUNO, M.
NISHIKAWA, T. *see* PROBY, C.M.
NISHIOKA, K. *see* TAKAGAWA, S.
NISKANEN, R.O. *see* SNELLMAN, E.
NODA, Y. *see* KISHIMOTO, S.
NOGUCHI, M., AKIYAMA, M., KAWAKAMI, M., NAGASHIMA, T., NIIZUMA, K. & MATSUO, I. Eccrine syringofibroadenoma developing in a sebaceous naevus, 1050
NOMOTO, M. *see* KUBO, Y.
NOMOTO, S. *see* CHIBA, H.
NORDIN, P. *see* FORSLUND, O.
NORDLIND, K. *see* HAGFORSEN, E.
NOSKE, U.M. *see* SCHAUDER, S.
NUNAN, T.O. *see* ROSBOTHAM, J.L.
NUUTINEN, M. *see* HAVU, V.
NUYTINCK, L. *see* JANSEN, T.
O'MOORE, E.J., NANDAWNI, R., UTHAYAKUMAR, S., NAYAGAM, A.T. & DARLEY, C.R. HIV-associated granuloma annulare (HAGA): a report of six cases, 1054
OCCELLA, C. *see* RAMPINI, E.
OCHSENDORF, F. *see* GRUNDMANN-KOLLMANN, M.
OCHSENDORF, F.R. *see* SACHSENBERG-STUDER, E.M.
ODOM, N.J. *see* TUCKER, S.C.
OGAWA, H. *see* HASE, T.
OGAWA, K. *see* SHIMIZU, T.
OGBOLI, M.I. & RHODES, L.E. Chronic actinic dermatitis in young atopic dermatitis sufferers, 845
OH, C-K. *see* JANG, H-S.
OHARA, K. *see* KADONO, T.
OHKAWARA, A. *see* OTA, M.
OHKAWARA, A. *see* SATO-MATSUMURA, K.C.
OHKAWARA, A. *see* SHIMIZU, T.

OHNISHI, M. *see* KANOH, H.
OHNISHI, T. & WATANABE, S. The use of cytokeratins 7 and 20 in the diagnosis of primary and secondary extramammary Paget's disease, 243
OHNISHI, Y. *see* TAJIMA, S.
OHNISHI, Y., TAJIMA, S., ISHIBASHI, A. & FUJIWARA, S. A vesicular bullous pemphigoid with an autoantibody against plectin, 813
OHTA, K. *see* MATSUMURA, Y.
OHTA, T. *see* PROBY, C.M.
OHTSU, T. *see* FUJIMOTO, W.
OHTSUKA, T., YAMAKAGE, A. & YAMAZAKI, S. Digital ulcers and necroses: novel manifestations of angiocentric lymphoma, 1013
OIKARINEN, A. *see* LEIVO, T.
OIKARINEN, A. *see* RIEKKI, R.
OISO, N. *see* FUKAI, K.
OKAMOTO, H. *see* MATSUMURA, Y.
OKAMOTO, H. *see* UETSU, N.
OLIVEIRA, G. *see* MAGINA, S.
OLIVER, M. *see* DUNPHY, J.
OLLIER, W.E.R. *see* HAJEER, A.H.
ONISHI, Y. *see* KADONO, T.
ONO, I. & TATESHITA, T. Phacomatosis pigmentovascularis type IIa successfully treated with two types of laser therapy, 358
ONO, T. *see* MARUO, K.
ONODA, M. *see* ISHII, N.
ORFANOS, C.E. *see* ASSMAN, A.
ORFANOS, C.E. *see* HUSAK, R.
ORMEROD, A.D., COPELAND, P. & SHAH, S.A.A. Treatment of psoriasis with topical N^G-monomethyl-L-arginine, an inhibitor of nitric oxide synthesis, 985
ORTIZ, P.L. *see* GÓMEZ-DE LA FUENTE, E.
OSBORNE, G.E.N. & HAWK, J.L.M. Photodistributed chickenpox mimicking polymorphic light eruption, 584
OSTERLIND, A. *see* NEWTON BISHOP, J.A.
OTA, M., SATO-MATSUMURA, K.C., MATSUMURA, T., TSUJI, Y. & OHKAWARA, A. Pemphigus foliaceus and figurate erythema in a patient with prostate cancer, 816
OTSUKA, F. *see* FUJISAWA, H.
OTSUKA, S., KINEBUCHI, A., TABATA, H., YAMAKAGE, A. & YAMASAKI, S. Myeloperoxidase-antineutrophil cytoplasmic antibody-associated vasculitis following propylthiouracil therapy, 828
OWARIBE, K. *see* LEIVO, T.
OWEN, C., BLEWITT, R.W., HARRISON, P.V. & YATES, V.M. Two cases of primary hyperparathyroidism associated with primary cutaneous lymphoma, 120
OWEN-SMITH, V. *see* CHERRY, N.
PACENTI, L. *see* TOSI, P.
PAGANI, L. *see* ALBERICI, F.
PALLESCHI, G.M. *see* AMATO, L.
PALMER, R. *see* MARTINEZ, A.
PALMIERI, G. *see* ASCIERTO, P.A.
PANSE, I., VASSEUR, E., RAFFIN-SANSON, M.L., STAROZ, F., ROUVEIX, E. & SAIAG, P. Lipodystrophy associated with protease inhibitors, 496
PAPA, M. *see* CONSIGLI, J.E.
PAPADAVID, E. *see* GEORGALA, S.
PAPADAVID, E., KRAUSZ, T., CHU, A.C. & WALKER, N.P.J. Angiolymphoid hyperplasia with eosinophilia successfully treated with the flash-lamp pulsed-dye laser, 192
PAPAGEORGIOU, P., KATSAMBAS, A. & CHU, A. Phototherapy with blue (415 nm) and red (660 nm) light in the treatment of acne vulgaris, 973
PARASOLE, R. *see* ASCIERTO, P.A.
PARK, I-J. *see* CHANG, S-E.
PARK, K-B. *see* YEO, U-C.
PARK, S.D., LEE, S-W., CHUN, J-H. & CHA, S-H. Clinical features of 31 patients with systemic contact dermatitis due to the ingestion of *Rhus* (lacquer), 937
PARKER, G.L. *see* MOMMERS, J.M.
PARODI, A. *see* DELMONTE, S.
PARODI, A., MASSONE, C., CACCIAPUOTI, M., ARAGONE, M.G., BONDAVALLI, P., CATTARINI, G. & REBORA, A. Measuring the activity of the disease in patients with cutaneous lupus erythematosus, 457
PASCUAL-LÓPEZ, M. *see* DAUDÉN, E.
PATEL, G.K., VARMA, S. & FINLAY, A.Y. Staphylococcal scalded skin syndrome in healthy adults, 1253
PATERSON, W.D. *see* GORDON, P.M.
PAUS, R. *see* CHRISTOPH, T.
PAWADE, J. *see* BOWER, C.P.R.
PEÑA, C. *see* DE UNAMUNO, P.
PEÑA, J.M. *see* HERRANZ, P.
PEROTTI, R. *see* TOSI, P.
PETER, R.U. *see* BEHRENS-WILLIAMS, S.
PETER, R.U. *see* GOTTLÖBER, P.
PETER, R.U. *see* SCHIENER, R.
PETRIDIS, A.K. *see* BOUWES BAVINCK, J.N.
PEYRÍ, J *see* BADELL, A.
PEYRÍ, J. *see* MACAYA, A.
PFISTER, H. *see* BOUWES BAVINCK, J.N.
PHILLIPS, D.R. *see* McNALLY, N.J.
PIETRINI, P. *see* BARAN, R.
PIETTE, W.W. Antiphospholipid antibody syndrome: the problems and the promise, 1080
PIHL-LUNDIN, I. *see* MICHAËLSSON, G.
PILLEKAMP, H. *see* SCHIENER, R.
PIMPINELLI, N. *see* CARDINALI, C.
PINNEY, E. *see* NEWTON BISHOP, J.A.
PIRACCINI, B.M. *see* TOSTI, A.
PLANTIN, P. *see* SASSOLAS, B.
PLEWIG, G. *see* JANSEN, T.
PLISSONNIER, D. *see* MARIE, I.
PODDA, M. *see* GRUNDMANN-KOLLMANN, M.
PODDA, M. *see* SACHSENBERG-STUDER, E.M.
PORTER, W.M. & BUNKER, C.B. Treatment of pearly penile papules with cryotherapy, 847
POWELL, F.C. *see* HO, K.K-L

POWELL, J., WOJNAROWSKA, F., WINSEY, S., MARREN, P. & WELSH, K. Lichen sclerosus premenarche: autoimmunity and immunogenetics, 481
PROBST, R. *see* MEMPEL, M.
PROBY, C.M., OHTA, T., SUZUKI, H., KOYASU, S., GAMOU, S., SHIMIZU, N., WAHL, J.K., WHEELOCK, M.J., NISHIKAWA, T. & AMAGAI, M. Development of chimeric molecules for recognition and targeting of antigen-specific B cells in pemphigus vulgaris, 321
PROSPERI, E. *see* RUMIO, C.
PUJOL, R.M. *see* ESPÀNA, A.
QUERFELD, C., SOLLBERG, S., HUERKAMP, C., ECKES, B. & KRIEG, T. Pseudoscleroderma associated with lung cancer: correlation of collagen type I and connective tissue growth factor gene expression, 1228
RABOOBEE, N. *see* GUPTA, A.K.
RAEBURN, J.A. *see* VON DER WERTH, J.M.
RAFFIN-SANSON, M.L. *see* PANSE, I.
RAJA BABU, K.K., SNEHAL, S. & SUDHA VANI, D. Confluent and reticulate papillomatosis: successful treatment with azithromycin, 1252
RALFKIÆR, E. *see* GRØNBÆK, K.
RALLIS, E. *see* GEORGALA, S.
RAMPINI, E., RAMPINI, P., OCCELLA, C. & BLEIDL, D. Interferon α-2b for treatment of complex cutaneous haemangiomas of infancy: a reduced dosage schedule, 189
RAMPINI, P. *see* RAMPINI, E.
RAMSAY, H.M. & HARDEN, P.N. Cyclosporin-induced flushing in a renal transplant recipient resolving after substitution with tacrolimus, 832
RAMSAY, H.M., GARRIDO, M.C. & SMITH, A.G. Normolipaemic xanthomata in association with human immunodeficiency virus infection, 571
RANDS, A.L. *see* DUNPHY, J.
RANIERI, E. *see* DRAGO, F.
RANTANEN, T. *see* HAVU, V.
RASSL, D.M. *see* COCKAYNE, S.E.
RATTI, G. *see* ALBERICI, F.
REBORA, A. *see* DELMONTE, S.
REBORA, A. *see* DRAGO, F.
REBORA, A. *see* PARODI, A.
REDOULES, D. *see* MAZEREEUW-HAUTIER, J.
REES, J.L. *see* WU, Y-Y.
REHMAN, I. *see* WU, Y-Y.
REICH, K. *see* WESTPHAL, G.A.
REQUENA, C. *see* NAVARRO, M.
REQUENA, L. *see* BARAN, R.
REQUENA, L. *see* CARRASCO, L.
RESENDE, C. *see* ANTUNES, I.
REVELL, P. *see* ABDULLA, A.J.J.
REVUZ, J. *see* WOLKENSTEIN, P.
RHO, K-Y. *see* CHOI, S.W.
RHODES, L.E. *see* BELL, H.K.
RHODES, L.E. *see* HALPERN, S.M.
RHODES, L.E. *see* OGBOLI, M.I.
RIDOUX, V. *see* LAMARTINE, J
RIEKKI, R., JUKKOLA, A., SASSI, M-L., HÖYHTYÄ, M., KALLIOINEN, M., RISTELI, J. & OIKARINEN, A. Modulation of skin collagen metabolism by irradiation: collagen synthesis is increased in irradiated human skin, 874
RIEU, P. *see* GERRITSEN, M.J.P.
RING, J. *see* MEMPEL, M.
RING, J. *see* WEIGL, L.
RINNE, D., LINHART, C. & SCHÖFER, H. Lip papillomatosis in immunodeficiency: therapy with imiquimod, 196
RIOS BUCETA, L. *see* SÁNCHEZ-PÉREZ, J.
RISTELI, J. *see* RIEKKI, R.
ROCHA, M. *see* MAGINA, S.
RODRIGUEZ-PERALTO, J.L. *see* GÓMEZ-DE LA FUENTE, E.
ROMANÍ, J. *see* ESPÀNA, A.
ROMITI, R. *see* JANSEN, T.
RONGIOLETTI, F. *see* GAMBINI, C.
ROOIJMANS, H.G.M. *see* SCHARLOO, M.
ROSBOTHAM, J.L., BRICE, G.W., CHILD, A.H., NUNAN, T.O., MORTIMER, P.S. & BURNAND, K.G. Distichiasis–lymphoedema: clinical features, venous function and lymphoscintigraphy, 148
ROSDAHL, I. *see* NEWTON BISHOP, J.A.
ROSDY, M. *see* LAUGIER, J-P.
ROSIN, R.D. *see* ZIPRIN, P.
ROULEAU, G.A. *see* LAMARTINE, J
ROUVEIX, E. *see* PANSE, I.
RUBIO, F.A. *see* HERRANZ, P.
RÜCKERT, R. *see* CHRISTOPH, T.
RUMIO, C., DONETTI, E., IMBERTI, A., BARAJON, I., PROSPERI, E., BRIVIO, M.F., BOSELLI, A., LAVEZZARI, E., VERALDI, S., BIGNOTTO, M. & CASTANO, P. c-Myc expression in human anagen hair follicles, 1092
RUSSELL-JONES, R. Extracorporeal photopheresis in cutaneous T-cell lymphoma.Inconsistent data underline the need for randomized studies, 16
RUSSELL-JONES, R. *see* AMEEN, M.
RUSSELL-JONES, R. *see* SCARISBRICK, J.J.
RUSTIN, M. *see* JOLLES, S.
RUSTIN, M.H.A. *see* KAPUR, N.
RUSZCZAK, Z. *see* SCHWARTZ, R.A.
RÜTTEN, A. *see* VOGELBRUCH, M.
RUKWIED, R., LISCHETZKI, G., McGLONE, F., HEYER, G. & SCHMELZ, M. Mast cell mediators other than histamine induce pruritus in atopic dermatitis patients – a dermal microdialysis study, 1114
RYCROFT, R.J.G. *see* BUCKLEY, D.A.
RYCROFT, R.J.G. *see* SMITH, H.R.
RYTINA, E. *see* MEHTA, R.K.
SAARI, S. *see* HAVU, V.
SACHSENBERG-STUDER, E.M., OCHSENDORF, F.R., GRUNDMANN-KOLLMANN, M., PODDA, M., KRUTMANN, J. & KAUFMANN, R. The ultraviolet passport: an important instrument for monitoring long-term side-effects in photo(chemo)therapy, 1059
SAIAG, P. *see* PANSE, I.
SALERNO, G. *see* ZIPRIN, P.
SALLES, J.P. *see* MAZEREEUW-HAUTIER, J.

SÁNCHEZ-PÉREZ, J., RIOS BUCETA, L., FRAGA, J. & GARCÍA-DÍEZ, A. Lichen planus with lesions on the palms and/or soles: prevalence and clinicopathological study of 36 patients, 310
SANTINELLI, F. *see* CRIBIER, B.J.
SANTOPIETRO, R. *see* TOSI, P.
SANTOS, P. *see* MAGINA, S.
SASAKI, T. *see* TAJIMA, S.
SASS, U., ANDRÉ, J. & SONG, M. A sporadic case of progressive mucinous histiocytosis, 133
SASSI, M-L. *see* RIEKKI, R.
SASSOLAS, B., LE RU, Y., PLANTIN, P., LAIR, G., DUPRE, P-F., COCHARD, G. & GUILLET, G. Pyoderma gangrenosum with pathergic phenomenon in pregnancy, 827
SATOH, T. *see* TAKAGAWA, S.
SATO-MATSUMURA, K.C. *see* OTA, M.
SATO-MATSUMURA, K.C., MATSUMURA, T., KUMAKIRI, M., HOSOKAWA, K., NAKAMURA, H., KOBAYASHI, H. & OHKAWARA, A. Ichthyosis follicularis with alopecia and photophobia in a mother and daughter, 157
SATRIANO, R.A. *see* ASCIERTO, P.A.
SATTERWHITE, K. *see* SUGERMAN, P.B.
SAWADA, S. *see* TAKAGI, Y.
SCARISBRICK, J.J., CHILD, F., SPITTLE, M., CALONJE, E. & RUSSELL-JONES, R. Systemic Hodgkin's lymphoma in a patient with Sézary syndrome, 771
SCERRI, L. *see* NEWTON BISHOP, J.A.
SCHAER, A. *see* GOTTLÖBER, P.
SCHÄFER, T. *see* MEMPEL, M.
SCHARLOO, M., KAPTEIN, A.A., WEINMAN, J., BERGMAN, W., VERMEER, B.J. & ROOIJMANS, H.G.M. Patients' illness perceptions and coping as predictors of functional status in paoriasis: a 1-year follow-up, 899
SCHAUDER, S., HANEFELD, F., NOSKE, U.M. & ZOLL, B. Depigmented hypertrichosis following Blaschko's lines associated with cerebral and ocular malformations: a new neurocutaneous, autosomal lethal gene syndrome from the group of epidermal naevus syndromes?, 1204
SCHEMPP, C.M., WINGHOFER, B., LÜDTKE, R., SIMON-HAARHAUS, B., SCHÖPF, E. & SIMON, J.C. Topical application of St. John's Wort (*Hypericum perforatum* L.) and of its metabolite hyperforin inhibits the allostimulatory capacity of epidermal cells, 979
SCHIENER, R., BEHRENS-WILLIAMS, S.C., GOTTLÖBER, P., PILLEKAMP, H., PETER, R.U. & KERSCHER, M. Eosinophilic fasciitis treated with psoralen-ultraviolet A bath photochemotherapy, 804
SCHIFFNER, R., SCHIFFNER-ROHE, J., WÖLFL, G., LANDTHALER, M., GLÄßL, A., WALTHER, T.H., HOFSTÄDTER, F. & STOLZ, W. Evaluation of a multicentre study of synchronous application of narrowband UVB phototherapy (TL-01) and bathing in Dead Sea salt solution for psoriasis vulgaris, 740
SCHIFFNER-ROHE, J. *see* SCHIFFNER, R.
SCHMELZ, M. *see* RUKWIED, R.
SCHMIDT, T. *see* MEMPEL, M.
SCHMITT, C. *see* CRIBIER, B.J.
SCHMITT, P. *see* LIPSKER, D.
SCHNOPP, C. *see* MEMPEL, M.
SCHNUCH, A. *see* WESTPHAL, G.A.
SCHÖFER, H. *see* RINNE, D.
SCHÖPF, E. *see* SCHEMPP, C.M.
SCHRIJVERS, D., VAN DEN BRANDE, J. & VERMORKEN, J.B. Supravenous discoloration of the skin due to docetaxel treatment, 1069
SCHROETER, C.A. *see* THISSEN, M.R.T.M
SCHULZ, T.G. *see* WESTPHAL, G.A.
SCHWANITZ, H.J. & UTER, W. Interdigital dermatitis: sentinel skin damage in hairdressers, 1011
SCHWARTZ, R.A., COHEN, J.B., WATSON, R.A., GASCÓN, P., AHKAMI, R.N., RUSZCZAK, Z., HALPERN, J. & LAMBERT, W.C. Penile Kaposi's sarcoma preceded by chronic penile lymphoedema, 153
SEEBER, A. *see* DER-PETROSSIAN, M.
SEED, P.T. *see* BUCKLEY, D.A.
SEFTON, E., GLAZEBROOK, C., GARRUD, P. & ZAKI, I. Educating patients about malignant melanoma: computer-assisted learning in a pigmented lesion clinic, 66
SEHGAL, S. *see* ARORA, S.K.
SEISHIMA, M. *see* KANOH, H.
SEMINO, M.T. *see* DELMONTE, S.
SEONG, J-Y. *see* KO, J-W.
SEPP, N. *see* WEBER, F.
SERRANO-JAEN, L. & VEGA-LOPEZ, F. Fulminating septicaemia caused by *Vibrio vulnificus*, 386
SERVITJE, O. *see* MACAYA, A.
SETOYAMA, M. *see* KAWABATA, H.
SETOYAMA, M., SHIMADA, H., MIYAZONO, N., BABA, Y. & KANZAKI, T. Spindle cell haemangioendothelioma: successful treatment with recombinant interleukin-2, 1238
SEYMOUR, C.A. *see* HILL, V.A.
SHAH, S.A.A. *see* ORMEROD, A.D.
SHEAR, N.H. *see* SULLIVAN, J.R.
SHEMANKO, C.S., HORN, H.M., KEOHANE, S.G., HEPBURN, N., KERR, A.I.G., ATHERTON, D.J., TIDMAN, M.J. & LANE, E.B. Laryngeal involvement in the Dowling–Meara variant of epidermolysis bullosa simplex with keratin mutations of severely disruptive potential, 315
SHIBAGAKI, R. *see* KURAMOTO, N.
SHIMADA, H. *see* SETOYAMA, M.
SHIMIZU, H. *see* AKIYAMA, M.
SHIMIZU, H. *see* HAKUNO, M.
SHIMIZU, N. *see* PROBY, C.M.
SHIMIZU, T., KODAMA, K., KOBAYASHI, H., OHKAWARA, A., OGAWA, K. & TANIGUCHI, S. Successful treatment using clarithromycin for a cutaneous lesion caused by *Mycobacterium szulgai*, 838
SHIN, J-H. *see* YEO, U-C.
SHINTA, K. *see* HASE, T.
SHIRAI, T. *see* KATSUMI, S.
SHOJI, K. *see* DENDA, M.

SHUM, K.W., LAWTON, S., WILLIAMS, H.C., DOCHERTY, G. & JONES, J. The British Association of Dermatologists audit of atopic eczema management in secondary care. Phase 2: audit of service process, 274
SHUM, K.W., LAWTON, S., WILLIAMS, H.C., DOCHERTY, G. & JONES, J. The British Association of Dermatologists audit of atopic eczema management in secondary care. Phase 3: audit of service outcome, 721
SHUSTER, S. *see* LAUGIER, J-P.
SIMON, J.C. *see* SCHEMPP, C.M.
SIMON, M.F. *see* MAZEREEUW-HAUTIER, J.
SIMONART, T. *see* VADOUD-SEYEDI, J.
SIMON-HAARHAUS, B. *see* SCHEMPP, C.M.
SLATER, D.N. Cutaneous CD56 natural killer and natural killer-like T-cell lymphoma, 853
SMITH, A.G. *see* HAJEER, A.H.
SMITH, A.G. *see* LEAR, J.T.
SMITH, A.G. *see* RAMSAY, H.M.
SMITH, H.R. *see* WALKER, S.L.
SMITH, H.R., ARMSTRONG, D.K.B., WAKELIN, S.H., RYCROFT, R.J.G., WHITE, I.R. & McFADDEN, J.P. Descriptive epidemiology of hand dermatitis at the St John's contact dermatitis clinic 198397, 284
SMITH, L.T. *see* AKIYAMA, M.
SMITH, S. *see* BEDARD, K.
SMITH, S. *see* ZIPRIN, P.
SNEHAL, S. *see* RAJA BABU, K.K.
SNELLMAN, E., NISKANEN, R.O., JESKANEN, L. & HEIKKILÄ, H. Cutaneous angiomatosis following implanted osteosynthesis nail: a manifestation of nickel allergy?, 1056
SOLLBERG, S. *see* QUERFELD, C.
SONG, M. *see* SASS, U.
SOUILLET, A.L. *see* DUMAS, V.
SOULARUE, P. *see* LAMARTINE, J
SOWDEN, J.M. *see* HARPER, J.I.
SPEHNER, D. *see* LIPSKER, D.
SPEIGHT, E.L., MYERS, B. & DAVIES, J.M. Strongyloidiasis, angio-oedema and natural killer cell lymphocytosis: reply from authors, 1066
SPIETH, K. *see* GRUNDMANN-KOLLMANN, M.
SPITTLE, M. *see* SCARISBRICK, J.J.
STABLES, G.I. *see* CUNLIFFE, W.J.
STABLES, G.I., TAYLOR, P.C. & HIGHET, A.S. Scleredema associated with paraproteinaemia treated by extracorporeal photopheresis, 781
STACHOWITZ, S. *see* MEMPEL, M.
STAFFORD, K.A. *see* DOWNS, A.M.R.
STANDEN, G.R. *see* BOWER, C.P.R.
STANLEY, J.R. Understanding of the pathophysiology of pemphigus suggests innovative therapeutic approaches, 209
STARCHER, B. Role for tumour necrosis factor-receptors in ultraviolet-induced skin tumours, 1140
STARK, S. *see* BOUWES BAVINCK, J.N.
STAROZ, F. *see* PANSE, I.
STEIJLEN, P.M. *see* GERRITSEN, M.J.P.
STERLING, J.C. *see* MEHTA, R.K.
STERN, R. *see* LAUGIER, J-P.
STOCKS, K. *see* HENGGE, U.R.
STOLL-KELLER, F. *see* CRIBIER, B.J.
STOLZ, W. *see* GOTTLÖBER, P.
STOLZ, W. *see* KROISS, M.M.
STOLZ, W. *see* SCHIFFNER, R.
STONE, N.M., WILLIAMS, A., WILKINSON, J.D. & BIRD, G. Systemic lupus erythematosus with C1q deficiency, 521
STRACHAN, D.P. *see* McNALLY, N.J.
STRANGE, R.C. *see* HAJEER, A.H.
STRANGE, R.C. *see* LEAR, J.T.
STUBB, S. *see* HAVU, V.
STUBB, S. *see* HEIKKALÄ, H.
SUDHA VANI, D. *see* RAJA BABU, K.K.
SUGERMAN, P.B., SATTERWHITE, K. & BIGBY, M. Autocytotoxic T-cell clones in lichen planus, 449
SUGITA, Y. *see* ISHII, N.
SUGITA, Y., ISHII, N., KATSUNO, M., YAMADA, R. & NAKAJIMA, H. Familial cluster of cutaneous *Mycobacterium avium* infection resulting from use of a circulating, constantly heated bath water system, 789
SUH, K-S. *see* KO, J-W.
SUHONEN, R. *see* HAVU, V.
SULLIVAN, J.R. & SHEAR, N.H. What are some of the lessons learnt from *in vitro* studies of severe unpredictable drug reactions?, 205
SUMMERBELL, R.C. *see* GUPTA, A.K.
SUMNER, M.J. *see* HARPER, J.I.
SUNG, K.J. *see* AHN, S.J.
SUNG, K-J. *see* CHANG, S-E.
SUNG, K-J. *see* HAN, M-H.
SUNG, K-J. *see* JANG, K-A.
SUNG, K-J. *see* KIM, S-H.
SUNG, K-J. *see* LEE, M-W.
SUSUKI, Y. *see* AKIMOTO, S.
SUZUKI, H. *see* PROBY, C.M.
SVENSSON, Å *see* YNGVESON, M.
SVILAND, L. *see* DE BERKER, D.
SWALES, C. *see* CHERRY, N.
SWAN, I.R.C. *see* DRUMMOND, A.
SZOLAR-PLATZER, C. *see* KOMERICKI, P.
TABATA, H. *see* OTSUKA, S.
TABORDA, P. *see* GUPTA, A.K.
TAGAMI, H. *see* TERUI, T.
TAGO, O. *see* CHIBA, H.
TAJIMA, S. *see* ITOH, Y.
TAJIMA, S. *see* OHNISHI, Y.
TAJIMA, S., OHNISHI, Y., AKAGI, A., ISHIBASHI, A. & SASAKI, T. Elastotic change in the subpapillary and mid-dermal layers in pseudoxanthoma elasticum-like papillary dermal elastolysis, 586
TAKAGAWA, S., SATOH, T., YOKOZEKI, H. & NISHIOKA, K. Multiple minute digitate hyperkeratoses, 1044
TAKAGI, Y., SAWADA, S., YAMAUCHI, M., AMAGAI, M. & NIIMURA, M. Coexistence of psoriasis and linear IgA bullous dermatosis, 513
TAKAHASHI, H. *see* NAKAMURA, S.

TAKAHASHI, K. *see* TERUI, T.
TAKAIWA, T. *see* NAKAGAWA, T.
TAKATA, M. *see* WU, Y-Y.
TAKEDA, T. *see* KONO, T.
TAKENAKA, H. *see* KISHIMOTO, S.
TAKENOUCHI, T. *see* CHIBA, H.
TAKIGAWA, M. *see* ITO, T.
TAKIMOTO, R. *see* HASE, T.
TAMURA, T. *see* NAKAMURA, S.
TAN, C.Y. *see* FINCH, T.M.
TANEW, A. *see* DER-PETROSSIAN, M.
TANIDA, M. *see* DENDA, M.
TANIGUCHI, S. & KONO, T. Subcutaneous T-cell lymphoma in a child with eosinophilia, 183
TANIGUCHI, S. *see* KONO, T.
TANIGUCHI, S. *see* SHIMIZU, T.
TARROUX, R. *see* MAZEREEUW-HAUTIER, J.
TATEISHI, T. *see* FUJISAWA, H.
TATESHITA, T. *see* ONO, I.
TAYLOR, J. *see* HENDERSON, C.A.
TAYLOR, P.C. *see* STABLES, G.I.
TELFER, N.R. Mohs' micrographic surgery for cutaneous squamous cell carcinoma: practical considerations, 631
TER SCHEGGET, J. *see* BOUWES BAVINCK, J.N.
TERUI, T., FUNAYAMA, M., TERUNUMA, T., TAKAHASHI, K. & TAGAMI, H. Ultraviolet B radiation exerts enhancing effects on the production of a complement component, C3, by interferon δ-stimulated cultured human epidermal keratinocytes, in contrast to photochemotherapy and ultaviolet A radiation that show suppressive effects, 660
TERUNUMA, T. *see* TERUI, T.
TESSIER, M.H. *see* LOZE, I.
TEZUKA, T. *see* KAWADA, A.
THAMI, G.P., KANWAR, A.J. & MAMTA, A.J. Red facial pseudochromhidrosis, 1219
THEPEN, T. *see* KIEKENS, R.C.M.
THIEULENT, N. *see* DUMAS, V.
THISSEN, M.R.T.M, SCHROETER, C.A. & NEUMANN, H.A.M. Photodynamic therapy with delta-aminolaevulinic acid for nodular basal cell carcinomas using a prior debulking technique, 338
THOMAS, S.E. *see* COCKAYNE, S.E.
THOMAS, S.E. *see* HALPERN, S.M.
THOMSEN, K. *see* GRØNBÆK, K.
THOMSEN, S. *see* MEMPEL, M.
THOMSON, J. *see* DRUMMOND, A.
THOMSON, K.F. & WILKINSON, S.M. Allergic contact dermatitis to plant extracts in patients with cosmetic dermatitis, 84
TIDMAN, M.J. *see* HORN, H.M.
TIDMAN, M.J. *see* SHEMANKO, C.S.
TILL, A.E., GOULDEN, V., CUNLIFFE, W.J. & HOLLAND, K.T. The cutaneous microflora of adolescent, persistent and late-onset acne patients does not differ, 885
TOBIN, D.J. *see* CHRISTOPH, T.
TODD, D.J. Therapeutic options for erythropoietic protoporphyria, 826
TOI, Y. *see* FUJIMOTO, W.
TOKIMITSU, I. *see* HASE, T.
TOKURA, Y. *see* ITO, T.
TOMENSON, J.A. *see* MEMON, A.A.
TORRELO, A. & ZAMBRANO, A. Crusted scabies in a girl with epidermolysis bullosa simplex, 197
TOSI, P., MIRACCO, C., SANTOPIETRO, R., PACENTI, L., PEROTTI, R., MATERNO, M. & LUZI, P. Possible diagnostic role of telomerase activity evaluation in the differential diagnosis between Spitz naevi and cutaneous malignant melanoma, 1060
TOSTI, A., PIRACCINI, B.M. & CAMELI, N. Nail changes in lichen planus may resemble those of yellow nail syndrome, 848
TSUBOI, R. *see* HASE, T.
TSUCHIYA, T. *see* DENDA, M.
TSUCHIYA, T. *see* DENDA, M.
TSUJI, Y. *see* OTA, M.
TSURATA, D. *see* KONO, T.
TUCKER, S.C., CHALMERS, R.J.G., ANDREW, S.M. & ODOM, N.J. Pustular vasculitis secondary to achalasia of the cardia, 373
TURJANMAA, K. *see* HAVU, V.
TURNER, R.J., LEONARD, N., MALCOLM, A.J., LAWRENCE, C.M. & DAHL, M.G.C. A retrospective study of outcome of Mohs' micrographic surgery for cutaneous squamous cell carcinoma using formalin fixed sections, 752
UCHIMIYA, H. *see* YOTSUMOTO, S.
UEDA, S., ISODA, M. & IMAYAMA, S. Response of naevus of Ota to Q-switched ruby laser treatment according to lesion colour, 77
UETSU, N., MIYAUCHI-HASHIMOTO, H., OKAMOTO, H. & HORIO, T. The clinical and photobiological characteristics of solar urticaria in 40 patients, 32
UOZUMI, K. *see* KAWABATA, H.
URANO, Y. *see* KUBO, Y.
UTER, W. *see* SCHWANITZ, H.J.
UTHAYAKUMAR, S. *see* O'MOORE, E.J.
VACCARO, M. *see* CANNAVÒ, S.P.
VADOUD-SEYEDI, J., DE DOBBELEER, G. & SIMONART, T. Treatment of haemodialysis-associated pseudoporphyria with *N*-acetylcysteine: report of two cases, 580
VAHABOGLU, H. *see* APAYDIN, R.
VAN DE KERKHOF, P.C.M. *see* MOMMERS, J.M.
VAN DE WINKEL, J.G.J. *see* KIEKENS, R.C.M.
VAN DEN BRANDE, J. *see* SCHRIJVERS, D.
VAN DEN OORD, J.J. *see* AHMED, B.
VAN DER MEIJDEN, W.I. *see* HONIG, E.
VAN ROSSUM, M.M. *see* MOMMERS, J.M.
VANACLOCHA, F. *see* GÓMEZ-DE LA FUENTE, E.
VARMA, S. *see* PATEL, G.K.
VARMA, S., HOLT, P.J.A. & ANSTEY, A.V. Erythroplasia of Queyrat treated by topical aminolaevulinic acid photodynamic therapy: a cautionary tale, 825
VASSEUR, E. *see* PANSE, I.
VÁZQUEZ-DOVAL, J. *see* ESPÃNA, A.
VEGA-LOPEZ, F. *see* SERRANO-JAEN, L.

VEIEN, N. *see* DUUS JOHANSEN, J.
VERALDI, S. *see* RUMIO, C.
VERMANDER, F. *see* GOETEYN, V.
VERMEER, B.J. *see* BOUWES BAVINCK, J.N.
VERMEER, B.J. *see* SCHARLOO, M.
VERMORKEN, J.B. *see* SCHRIJVERS, D.
VESTERINEN, M. *see* LEIVO, T.
VIALE, P. *see* ALBERICI, F.
VIGUIE, C. *see* BARAN, R.
VILATA, J. *see* NAVARRO, M.
VINCENT, S.D. *see* KLEINEGGER, C.L.
VIRTANEN, I. *see* LEIVO, T.
VIVIANI, M.A. *see* ALTOMARE, G.F.
VOGELBRUCH, M. *see* HERBST, R.A.
VOGELBRUCH, M., BÖCKING, A., RÜTTEN, A., KAPP, A. & KIEHL, P. DNA image cytometry in malignant and benign sweat gland tumours, 688
VOGT, T. *see* KROISS, M.M.
VON DER WERTH, J.M., WILLIAMS, H.C. & RAEBURN, J.A. The clinical genetics of hidradenitis suppurativa revisited, 947
WAGNER, M. *see* EVES, P.
WAHL, J.K. *see* HAKUNO, M.
WAHL, J.K. *see* PROBY, C.M.
WAKABAYASHI, S. *see* KISHIMOTO, S.
WAKELIN, S.H. *see* BUCKLEY, D.A.
WAKELIN, S.H. *see* SMITH, H.R.
WAKSMAN, G. *see* LAMARTINE, J
WALKER, N.P.J. *see* PAPADAVID, E.
WALKER, S.L., SMITH, H.R., LUN, K. & GRIFFITHS, W.A.D. Improvement of folliculitis decalvans following shaving of the scalp, 1245
WALTHER, T.H. *see* SCHIFFNER, R.
WALZ, T. *see* WEIDE, B.
WANG, L-F. *see* CHU, C-Y.
WATANABE, S. *see* OHNISHI, T.
WATSON, R. *see* KIRBY, B.
WATSON, R.A. *see* SCHWARTZ, R.A.
WEBER, F., SEPP, N. & FRITSCH, P. Vascular endothelial growth factor and basic fibroblast growth factor in melanoma, 392
WEBER, L. *see* GOTTLÖBER, P.
WEICHENTHAL, M. *see* NEWTON BISHOP, J.A.
WEIDE, B., WALZ, T. & GARBE, C. Is morphoea caused by *Borrelia burgdorferi*? A review, 636
WEIGL, L., EBERLEIN-KÖNIG, B., RING, J. & ABECK, D. Is recurrent plantar hidradenitis in children induced by exposure to a wet and cold milieu?, 1048
WEINMAN, J. *see* SCHARLOO, M.
WEISS, J. *see* HERBST, R.A.
WELSH, A.D. *see* FULLJAMES, C.A.
WELSH, K. *see* POWELL, J.
WEN, S.Y. Syringocystadenoma papilliferum presenting as a cutaneous horn, 1242
WESTENDORP, R.G.J. *see* BOUWES BAVINCK, J.N.
WESTGATE, G.E. *see* DE BERKER, D.
WESTPHAL, G.A., REICH, K., SCHULZ, T.G., NEUMANN, C., HALLIER, E. & SCHNUCH, A. *N*-acetyltransferase 1 and 2 polymorphisms in *para*-substituted arylamine-induced contact allergy, 1121
WHEELOCK, M.J. *see* HAKUNO, M.
WHEELOCK, M.J. *see* PROBY, C.M.
WHITE, I.R. *see* BUCKLEY, D.A.
WHITE, I.R. *see* SMITH, H.R.
WILKINSON, J.D. *see* STONE, N.M
WILKINSON, S.M. *see* THOMSON, K.F.
WILLIAMS, A. *see* STONE, N.M
WILLIAMS, H.C. *see* CHARMAN, C.R.
WILLIAMS, H.C. *see* COX, N.H.
WILLIAMS, H.C. *see* EMERSON, R.M.
WILLIAMS, H.C. *see* McNALLY, N.J.
WILLIAMS, H.C. *see* SHUM, K.W.
WILLIAMS, H.C. *see* VON DER WERTH, J.M.
WILLIAMS, J.V., MARKS JR., J.G. & BILLINGSLEY, E.M. Use of mycophenolate mofetil in the treatment of paraneoplastic pemphigus, 506
WILSON, N.J.E. *see* HARPER, J.I.
WINGHOFER, B. *see* SCHEMPP, C.M.
WINSEY, S. *see* POWELL, J.
WOITALLA, S. *see* JANSEN, T.
WOJNAROWSKA, F. *see* DE BERKER, D.
WOJNAROWSKA, F. *see* POWELL, J.
WÖLFL, G. *see* SCHIFFNER, R.
WOLKENSTEIN, P., DURAND-ZALESKI, I., MORENO, J.C., ZELLER, J., HEMERY, F. & REVUZ, J. Cost evaluation of the medical management of neurofibromatosis 1: a prospective study on 201 patients, 1166
WON, Y.H. *see* LEE, S-C.
WOO, H.J. *see* CHOI, S.W.
WORTHINGTON, J. *see* HAJEER, A.H.
WU, M.L-C. & GUITART, J. Low specificity of cytokeratin 20 in the diagnosis of extramammary Paget's disease, 569
WU, Y-Y., TAKATA, M., REHMAN, I. & REES, J.L. The temporal and spatial distribution of $p21^{WAF}$ expression in skin appendages, 694
YAMADA, R. *see* SUGITA, Y.
YAMADA, S. *see* CHIBA, H.
YAMAKAGE, A. *see* OHTSUKA, T.
YAMAKAGE, A. *see* OTSUKA, S.
YAMAMOTO, M. *see* KISHIMOTO, S.
YAMAMOTO, Y. *see* KATSUMI, S.
YAMASAKI, S. *see* OTSUKA, S.
YAMAUCHI, M. *see* TAKAGI, Y.
YAMAZAKI, S. *see* OHTSUKA, T.
YANG, C-H. *see* CHU, C-Y.
YANG, J-M. *see* YEO, U-C.
YASUNO, H. *see* KISHIMOTO, S.
YASUNO, H. *see* KURAMOTO, N.
YATES, V.M *see* OWEN, C.
YEAGER, J.K. *see* BROOK, I.
YEO, U-C., SHIN, J-H., YANG, J-M., PARK, K-B., KIM, M-M., BOK, H-S. & LEE, E-S. Psoralen-ultraviolet A-induced erythema: sensitivity correlates with the concentrations of psoralen in suction blister fluid, 733
YI, S. *see* CHOI, S.W.

YNGVESON, M., SVENSSON, Å, JOHANNISON, A. & ISACSSON, Å. Hand dermatosis in upper secondary school pupils: 2-year comparison and follow-up, 485
YOKOZEKI, H. *see* TAKAGAWA, S.
YOSHINARI, Y. *see* ITO, T.
YOTSUMOTO, S., KANZAKI, T. & KO, M.S.H. The beta subunit of the high-affinity IgE receptor, a candidate for atopic dermatitis, is not imprinted, 370
YOTSUMOTO, S., UCHIMIYA, H. & KANSAKI, T. A case of follicular mucinosis treated successfully with minocycline, 841
YUDATE, T. *see* KAWADA, A.
YUKIKO, N. Immune responses to SS-A 52-kDa and 60-kDa proteins and to SS-B 50-kDa protein in mothers of infants with neonatal lupus erythematous, 908
ZAKI, I. *see* SEFTON, E.
ZAMBRANO, A. *see* TORRELO, A.
ZEITOUNI, N.C. *see* ZOLLO, J.D.
ZEITOUNI, N.C., FUNARO, D., CLOUTIER, R.A., GAGNÉ, E. & CLAUVEAU, J. Redefining Rowell's syndrome, 343
ZELLER, J. *see* WOLKENSTEIN, P.
ZEUTHEN, J. *see* GRØNBÆK, K.
ZILLIKENS, D. *see* JAPPE, U.
ZIPRIN, P., SMITH, S., SALERNO, G. & ROSIN, R.D. Two cases of Merkel cell tumour arizing in patients with chronic lymphocytic leukaemia, 525
ZOLL, B. *see* SCHAUDER, S.
ZOLLNER, T.M. *see* GRUNDMANN-KOLLMANN, M.
ZOLLO, J.D. & ZEITOUNI, N.C. The Roswell Park Cancer Institute experience with extramammary Paget's disease, 59
ZOPPI, N. *see* DE PANFILIS, G.